

THIN Bibliography by Author

Researcher	Journal	Title	Reference	Year
Abeyasinghe S	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Abeyasinghe S	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99-107	2011
Abuabara K	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Abuabara K	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Alder J	Cass Business School (City University)	The chronic disease burden - An analysis of health risks and health care usage	ISBN 1 - 901615-87-1	2005
Ali N	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
Allister J	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
Allister J	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
Altman DG	BMJ	Predicting the 10 year risk of cardiovascular disease in the United Kingdom: independent and external validation of an updated version of QRISK3	21;344:e4181.	2012
Altman DG	Heart	Predicting the adverse risk of statin treatment: an independent and external validation of Qstatin risk scores in the UK	98(14):1091-7.	2012
Altman DG	Br J Gen Pract	Predicting the risk of chronic kidney disease in the UK: an evaluation of QKidney® scores using a primary care database	62(597):e243-50.	2012
Altman DG	British Medical Journal (BMJ)	An independent and external validation of QRISK2 cardiovascular disease risk score: a prospective open cohort study	340:c2442. doi: 10.1136/bmj.c2442	2010
Altman DG	British Medical Journal (BMJ)	An independent external validation and evaluation of QRISK cardiovascular risk prediction: a prospective open cohort study	339:b2584	2009
Ambler G	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009

Anderson P	Poster presented at the RCGP Annual National Primary Care Conference, Glasgow, Scotland, November 2009	Cost of Managing Neuropathic Pain with Pregabalin and Gabapentin: A UK Study		2009
Andrews E	Pharmacoepidemiology and Drug Safety	Risk factors for thiazolidinedione related peripheral edema	17: S118-S119	2008
Aponte Z	Journal of Allergy and Clinical Immunology	Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review.	125(5):1098-1104	2010
Apter A	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Arana A	Pharmacoepidemiology and Drug Safety	An Algorithm for the Diagnosis of Suicide in the THIN Database	(19): S1-S347	2010
Arana A	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Arana A	Pharmacoepidemiology and Drug Safety	Lymphoma among patients with atopic dermatitis treated with topical corticosteroids (TCS) and/or topical calcineurin inhibitors (TCIs)	(19): S1-S347	2010
Arana A	The New England Journal of Medicine	Suicide-related events in patients treated with antiepileptic drugs	363: 542-551	2010
Arana A	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Arana A	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Arana A	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Arellano F	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Arellano F	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Arellano F	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Arellano FM	The New England Journal of Medicine	Suicide-related events in patients treated with antiepileptic drugs	363: 542-551	2010
Arellano FM	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Arellano FM	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861-872	2006

Arellano FM	Pharmacoepidemiology and Drug Safety	Patterns of discontinuation, Dose modification and switching among users of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) including Cyclo-Oxygenase 2 Inhibitors (COX-2) in the UK population	14: S1: (003)	2005
Arellano FM	Pharmacoepidemiology and Drug Safety	Use of prescription Cyclo-Oxygenase 2 inhibitors (COX-2) and Non COX-2 Non-Steroidal Anti-Inflammatory Drugs (NSAID) in a UK population	14: S141: (283)	2005
Arellano FM	Pharmacoepidemiology and Drug Safety	Use of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) Including Cyclo-Oxygenase 2 Inhibitors (COX-2) in a UK Population and a US Population	14: S190: (382)	2005
Arellano F	Pharmacoepidemiology and Drug Safety	An Algorithm for the Diagnosis of Suicide in the THIN Database	(19): S1-S347	2010
Arrelano J	Value in Health	"The "who, how and then what..." of insulin initiation in UK primary care"	12(7):A412	2009
Arya LA	American College of Obstetricians and Gynecologists	Discontinuation Rates of Anticholinergic Medications Used for the Treatment of Lower Urinary Tract Symptoms	Vol: 112 (6)	2008
Asherson P	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Asherson P	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Ashman KE	An International Journal of Gastroenterology and Hepatology - BMJ	OC-038 Healthcare use according to body mass index (BMI) category in individuals registered to GP practices	61:A16-A17.	2012
Atroxel A	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Avery A	Pharmacoepidemiology and Drug Safety	The Impact of Prescribing Guidelines on Physician Selection of Drug Therapy for Newly Diagnosed Patients with Hypertension in the UK	(19): S1-S347	2010
Avery AJ	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Avina-Zubieta A	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Ayuso-Mateos JL	The New England Journal of Medicine	Suicide-related events in patients treated with antiepileptic drugs	363: 542-551	2010
Baeyens JP	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Baldwin DR	Chest.	The association between smoking quantity and lung cancer in men and women	10.1378/chest.12-1068.	2012
Ban L	BMC Public Health	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study	31;10:799.	2010
Barreales Tolosa L	Gastroenterology	Risk of upper gastrointestinal complications among users of traditional NSAIDs and COXIBs in the general population	132(2): 498-506	2007
Barrett JS	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012

Bartley M	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Bate A	Pharmacoepidemiology and Drug Safety	Lessons Learned from Mapping the THIN Database to the Observational Medical Outcome Partnership (OMOP) Common Data Model (CDM)	(19): S1-S347	2010
Bath-Hextall F	Quality in primary care journal	Validation of THIN data for non-melanoma skin cancer	16(1):49-52	2008
Bath-Hextall F	International Journal of Cancer	Trends in incidence of skin basal cell carcinom: Additional evidence from a UK primary care database study	Nov 1 121(9):2105-8	2007
Beard S	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Beard S	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99–107	2011
Bellamy SL	American College of Obstetricians and Gynecologists	Discontinuation Rates of Anticholinergic Medications Used for the Treatment of Lower Urinary Tract Symptoms	Vol: 112 (6)	2008
Belsey J	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
Belsey JD	J Med Econ	Optimizing adherence in hypertension: a comparison of outcomes and costs using single tablet regimens vs individual component regimens	[ahead of print]	2012
Bennett CE	Br J Dermatol	Epidemiology of scabies prevalence in the U.K. from general practice records.	164(6):1329-34	2011
Ben-Shlomo Y	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Ben-Shlomo Y	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Berger A	Pain Pract	Use of pregabalin in patients with painful neuropathic disorders under the care of general practitioners in the U.K	9(1):18-34	2008
Berry SD	Osteoporos Int	Diuretic initiation and the acute risk of hip fracture	[Ahead of print]	2012
Bhayat F	Pharmacoepidemiology and Drug Safety	NSAID use and risk of leukaemia: a population-based case-control study	18(9):833-6	2009
Bhayat F	BMC Cancer	The incidence of and mortality from leukaemias in the UK: a general population-based study	26;9(1):252	2009
Bhullar H	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Bhullar H	Pharmacoepidemiology and Drug Safety	Lessons Learned from Mapping the THIN Database to the Observational Medical Outcome Partnership (OMOP) Common Data Model (CDM)	(19): S1-S347	2010
Bilker W	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Bilker WB	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Bilker WB	Pharmacoepidemiology and Drug Safety	Temporal and within practice variability in the health improvement network	20(9):948-55. doi: 10.1002/pds.2191	2011
Bilker WB	Pharmacoepidemiology and Drug Safety	Between and within practice variability among practices within the health improvement network	(19): S1-S347	2010

Bilker WB	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) database for pharmacoepidemiology research	2007 Apr 16(4):393-401	2007
Bilker WB	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) Database for pharmacoepidemiology research	15: (S1):S233-234	2006
Blak BT	Diabetic Medicine	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care	29(8): e191-e198.	2012
Blak BT	Diabet Med	Optimization of insulin therapy in patients with Type 2 diabetes mellitus: beyond basal insulin	29(7):e13-20. doi: 10.1111/j.1464-5491.2012.03586.x	2012
Blak BT	Inform Prim Care	Generalisability of The Health Improvement Network (THIN) database: demographics, chronic disease prevalence and mortality rates.	19(4):251-5.	2011
Blak BT	Eur J Ophthalmol	Topical prostaglandin fixed combinations in UK primary care: observational study using data from the health improvement network	doi: 10.5301/ejo.5000068	2011
Blak BT	Current Medical Research & Opinion	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study	Vol. 26, No. 4, 2010, 861-870	2010
Blak BT	UK National Smoking Cessation Conference (UKNSCC) June, Glasgow	Evaluation of varenicline as an aid to smoking cessation in UK general practice – a THIN database study		2010
Blak BT	Value in Health	Has the Quality and Outcomes Framework Influenced Primary Care Data Recording?	13 (7);A416	2010
Blak BT	Value in Health	How do THIN Death Data Compare to National Figures for each UK Country?	13 (7);A331	2010
Blak BT	Value in Health	Impact of the UK public smoking ban on the prescribing of smoking cessation therapy in primary care – a THIN database study	13(3):A203	2010
Blak BT	Pharmacoepidemiology and Drug Safety	Parameterizing Risk-Benefit Models from Primary Care Data: Recurrence and Exacerbation	(19): S1-S347	2010
Blak BT	Pharmacoepidemiology and Drug Safety	Prescribing Behaviour of Smoking Cessation Products in the UK – A THIN Database Study	(19): S1-S347	2010
Blak BT	Congress of the European Glaucoma Society, Madrid, Spain	Use of Topical Prostaglandin Fixed Combination in the UK Primary Care: An Observational Study in The Health Improvement Network (THIN) Database		2010
Blak BT	Value in Health	“The “who, how and then what...” of insulin initiation in UK primary care”	12(7):A412	2009
Blak BT	Value in Health	Can the relationship between age and cholesterol levels indicate effectiveness of lipid lowering therapy in primary care? France, Germany, Italy and UK	12(3):A142-A143	2009
Blak BT	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009
Blak BT	Value in Health	The application of discrete even simulation to quantitative risk benefit analysis	12(7):A453	2009
Blak BT	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting for research using automated data from primary care	18: 76-83	2009

Blak BT	Value in Health	How does The Health Improvement Network (THIN) data on prevalences on chronic diseases compare with national figures?	12(7):A253	2009
Blak BT	Pharmacoepidemiology and Drug Safety	Influence of affluence: The impact of social deprivation on mortality rates in THIN, a UK primary care database	17: S252	2008
Blak BT	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting in automated patient databases	17: S250	2008
Blak BT	Value in Health	Differences in cholesterol levels between statin and fibrate treated patients in French, Italian, and United Kingdom primary care	Vol. 10(6):A407	2007
Blak BT	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Blak BT	The National Institute of Clinical Excellence (NICE) conference. Birmingham, UK 2006	Has the Quality and Outcomes Framework (QOF) Scheme Impacted upon General Practitioners' (GPs) Clinical Practice?	Poster presentation	2006
Blak BT	9th Annual Conference of the UK Federation of Primary Care Research Organisations. Liverpool, UK 2006	National Representativeness and Data Quality of the Health Improvement Network (THIN) Database of Primary Care Information for Epidemiological Research	Podium presentation	2006
Blak BT	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Blane D	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Bloomfield G	The Journal of Sexual Medicine	Increased Sexual Dysfunction in Men with Storage and Voiding Lower Urinary Tract Symptoms	6:1103–1110	2009
Bloomfield G	36th Annual Meeting of the International Continence Society 2006	Diagnosis and Treatment of Lower Urinary Tract Symptoms, Overactive Bladder, and Benign Prostatic Hyperplasia in Men in UK General Practice		2006
Bloomfield GA	International Journal of Clinical Practice	Diagnosis and treatment of lower urinary tract symptoms suggestive of overactive bladder and bladder outlet obstruction among men in general practice in the UK	May 2008; 62, 5, 688–694	2008
Boonen A	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Boonen A	Bone	An individualised model of cost-effectiveness of bisphosphonates in elderly women	36 (S2):S138	2005
Bortnichak E	Pharmacoepidemiology and Drug Safety	An algorithm to identify medical practices common to both the General Practice Research Database and The Health Improvement Network database	21(7):770-774.	2012
Bortnichak E	Pharmacoepidemiology and Drug Safety	An algorithm to identify practices common to both the GPRD and THIN Databases.	(19): S1-S347	2010
Bottomley C	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010

Bottomley C	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Bourke A	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Bourke A	Inform Prim Care	Generalisability of The Health Improvement Network (THIN) database: demographics, chronic disease prevalence and mortality rates.	19(4):251-5.	2011
Bourke A	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Bourke A	Pharmacoepidemiology and Drug Safety	Comparison of Prescribing Patterns for Asthma in Five European Countries	(19): S1-S347	2010
Bourke A	Pharmacoepidemiology and Drug Safety	Challenges in obtaining ethical approval for a pilot study to obtain biosamples in a UK medical records database	15:(S1):S137-138	2006
Bourke A	The National Institute of Clinical Excellence (NICE) conference. Birmingham, UK 2006	Has the Quality and Outcomes Framework (QOF) Scheme Impacted upon General Practitioners' (GPs) Clinical Practice?	Poster presentation	2006
Bourke A	9th Annual Conference of the UK Federation of Primary Care Research Organisations. Liverpool, UK 2006	National Representativeness and Data Quality of the Health Improvement Network (THIN) Database of Primary Care Information for Epidemiological Research	Podium presentation	2006
Bourke A	Informatics in Primary Care	Feasibility Study and Methodology to create a Quality Evaluated Database of Primary Care Data	12(3):171-7	2004
Bradley E	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Bridge S	British Journal of Urology	Factors that predict changing the type of phosphodiesterase type 5 inhibitor medication among men in the UK	99(4):860-3	2007
Bridge S	The Journal of Sexual Medicine	Factors That Predict Switching Phosphodiesterase Type 5 Inhibitor Medication in the United Kingdom	Vol 3 Issue s3:199	2006
Bridge S	8th Congress of the European Society for Sexual Medicine - Copenhagen, Denmark 2005	Factors that predict switching Phosphodiesterase type 5 Inhibitor medication in the United Kingdom		2005
Brindle P	Heart	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study	(94): 34-39	2008
Britton J	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Britton J	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Britton J	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004

Britton JR	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Brix Finnerup N	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Brunelli MS	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Brunelli MS	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Brusselle G	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Brusselle G	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Brusselle G	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Bugnard F	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Bulugahapitiya U	Diab Vasc Dis Res	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study	6(1):21-4	2009
Bulugahapitiya U	Heart	Age threshold for routine aspirin treatment to prevent cardiovascular disease in patients without diabetes	94(11):1429-32	2008
Bulugahapitiya U	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Burton P	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Buszewicz M	PLoS One	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care	7(8):e41670	2012
Buszewicz M	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009
Cai B	Pharmacoepidemiology and Drug Safety	An algorithm to identify medical practices common to both the General Practice Research Database and The Health Improvement Network database	21(7):770-774.	2012
Cai B	Pharmacoepidemiology and Drug Safety	An algorithm to identify practices common to both the GPRD and THIN Databases.	(19): S1-S347	2010
Cai S	Alimentary Pharmacology & Therapeutics	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005	30(10):1039-48	2009
Camp G	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Camp G	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010

Campbell MJ	Br J Dermatol	Epidemiology of scabies prevalence in the U.K. from general practice records.	164(6):1329-34	2011
Capewell S	J Epidemiol Community Health	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study.	65(9):770-4	2010
Cappelleri JC	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Carbonari DM	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Card TR	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Cardillo S	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Carey IM	Journal of the American Medical Directors Association	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales	13:41-7	2012
Carey IM	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Carey IM	Age Ageing	The impact of dementia on influenza vaccination uptake in community and care home residents	41(1):64-9	2012
Carey IM	International Journal of Geriatric Psychiatry	Antipsychotic prescribing to older people living in care homes and the community in England and Wales	26:423-434	2011
Carey IM	Br J Gen Pract	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework	61:135-8	2011
Carey IM	British Medical Journal (BMJ)	Quality of Chronic Disease Care for Older People in Care Homes and the Community in a Primary Care Pay for Performance System: A Retrospective Study	BMJ.2011 342: d912	2011
Carey IM	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Carnahan D	Pharmacoepidemiology and Drug Safety	Does an increase in serum creatinine after starting ACE inhibitors influence their discontinuation	17: S277	2008
Carpenter J	Pharmacoepidemiology and Drug Safety	Missing data in primary care databses; problems and a possible solution	(19): S1-S347	2010
Carrigan G	ISOP (International Society on Pharmacovigilance) [Istanbul]	From Signal Detection to Evaluation to Action: The experience of Pediaxel® and Apnea	Poster presentation	2011
Carrigan G	Pharmacoepidemiology and Drug Safety	Changes in the incidence of encephalitis in the UK	17: S253	2008
Carroll D	Pharmacoepidemiology and Drug Safety	Macrovascular and microvascular outcomes after beginning of insulin versus additional oral glucose-lowering therapy in people with type 2 diabetes: an observational study	21(3):305-13. doi: 10.1002/pds.2345.	2012

Carroll D	BMC Family Practice	Primary care incidence and treatment of four neuropathic pain conditions: a descriptive study, 2002-2005.	0.393055556	2008
Castellsague J	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Castellsague J	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99-107	2011
Cawood A L	An International Journal of Gastroenterology and Hepatology - BMJ	OC-038 Healthcare use according to body mass index (BMI) category in individuals registered to GP practices	61:A16-A17.	2012
Cea-Soriano L	BMJ	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care.	343:d4094. doi: 10.1136/bmj.d4094	2011
Chacón García A	Aten Primaria	Incidence rate of community acquired pneumonia in a population cohort registered in BIFAP	42(11):543-9	2010
Challen KB	QJM: An International Journal of Medicine	The impact of the 2004 NICE guideline and 2003 General Medical Services contract on COPD in primary care in the UK	101(2):145-153	2008
Chamberlain GH	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010
Chapple C	The Journal of Sexual Medicine	Increased Sexual Dysfunction in Men with Storage and Voiding Lower Urinary Tract Symptoms	6:1103-1110	2009
Chapple C	International Journal of Clinical Practice	Diagnosis and treatment of lower urinary tract symptoms suggestive of overactive bladder and bladder outlet obstruction among men in general practice in the UK	May 2008, 62, 5, 688-694	2008
Chapple C	23rd Annual European Association of Urology Congress. Milan, Italy	Increased Sexual Dysfunction in Women With LUTS, Including OAB, in a UK General Practice Setting: Analyses From the THIN Database	March 26-29, 2008	2008
Chapple C	36th Annual Meeting of the International Continence Society 2006	Diagnosis and Treatment of Lower Urinary Tract Symptoms, Overactive Bladder, and Benign Prostatic Hyperplasia in Men in UK General Practice		2006
Charlton J	American Journal of Managed Care	Diabetes Diagnosis, Resource Utilization, and Health Outcomes	14(1):32-8	2008
Charlton J	Diabetes Care	Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes	29(8): 1929-1930	2006
Charlton J	Diabetes Care	Risk of Diabetes Associated With Prescribed Glucocorticoids in a Large Population	29 (12): 2728-29	2006
Chen Z	Pharmacoepidemiology and Drug Safety	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis.	19(7):756-62.	2010
Chen Z	British Journal of General Practice	Reduced antibiotic prescribing for acute respiratory infections in adults and children.	59(567):e321-8.	2009

Chen Z	Pharmacoepidemiology and Drug Safety	Adverse events associated with pediatric antibiotic use	17: S273	2008
Chen Z	Pharmacoepidemiology and Drug Safety	Antibiotics for upper respiratory infections	17: S209-S210	2008
Cheng KK	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Cheng KK	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Cheng KK	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case-control study using electronic primary care records	98(2), 323 – 327	2008
Cheng KK	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Cheng M	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Cheng M	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Choi HK	British Medical Journal	Calcium Channel Blockers, Losartan, and the Risk of Incident Gout among Patients with Hypertension: A Population-Based Case-Control Study	344:d8190. doi: 10.1136/bmj.d8190	2012
Choi HK	Osteoporos Int	Diuretic initiation and the acute risk of hip fracture	[Ahead of print]	2012
Choi HK	Am J Med	Impact of Age, Sex, Obesity, and Steroid Use on Quinolone-associated Tendon Disorders	[Ahead of print]	2012
Choi HK	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Choi HK	Rheumatology (Oxford)	Risk factors for pseudogout in the general population	51(11):2070-4	2012
Choi HK	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Choi HK	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Choi HK	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Choi HK	Arthritis Care Res (Hoboken)	Secular trend of adhesive capsulitis	63(11):1571-5. doi: 10.1002/acr.20590	2011
Choi HK	Annals of the Rheumatic Diseases	Impact of diabetes against the future risk of developing gout	69(12):2090-4	2010
Chretien S	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Christie JD	Pharmacoepidemiology and Drug Safety	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis.	19(7):756-62.	2010
Christopoulou D	Eur J Ophthalmol	Topical prostaglandin fixed combinations in UK primary care: observational study using data from the health improvement network	doi: 10.5301/ejo.5000068	2011

Christopoulou D	Congress of the European Glaucoma Society, Madrid, Spain	Use of Topical Prostaglandin Fixed Combination in the UK Primary Care: An Observational Study in The Health Improvement Network (THIN) Database		2010
Cid J	Pharmacoepidemiology and Drug Safety	Patterns of discontinuation, Dose modification and switching among users of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) including Cyclo-Oxygenase 2 Inhibitors (COX-2) in the UK population	14: S1: (003)	2005
Clegga J	Current Medical Research & Opinion	Cost-effectiveness of macrogol 4000 compared to lactulose in the treatment of chronic functional constipation in the UK	Vol: 24(7) 2008; pages 1841-1852	2008
Coffin SE	Pediatrics	Antibiotic Exposure and IBD Development Among Children: A Population-Based Cohort Study	130(4):e794-803	2012
Colao A	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Colao A	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Colao A	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Coleman T	Addiction	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England	107(7):1341-8	2012
Coleman T	BMC Public Health	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: Cross-sectional analyses from The Health Improvement Network (THIN) database	12;329.	2012
Coleman T	BMC Public Health	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records	10;11:291	2011
Coleman T	J Epidemiol Community Health	Can data from primary care medical records be used to monitor national smoking prevalence?	66(9):791-5.	2011
Coleman T	Addiction	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England	106(10):1827-34. doi: 10.1111/j.1360-0443.2011.03494.x	2011
Coleman T	Family Practice	Is smoking status routinely recorded when patients register with a new GP?	27(6):673-5	2010
Coleman T	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Coleman T	The Society for Academic Primary Care (SAPC)	Can national smoking prevalence be monitored using data from primary care medical records?		2009
Coleman T	Addiction	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care	May 102(5):803-8	2007
Collins GS	BMJ	Predicting the 10 year risk of cardiovascular disease in the United Kingdom: independent and external validation of an updated version of QRISK2	21;344:e4181.	2012
Collins GS	Heart	Predicting the adverse risk of statin treatment: an independent and external validation of Qstatin risk scores in the UK	98(14):1091-7.	2012

Collins GS	Br J Gen Pract	Predicting the risk of chronic kidney disease in the UK: an evaluation of QKidney® scores using a primary care database	62(597):e243-50.	2012
Collins GS	British Medical Journal (BMJ)	An independent and external validation of QRISK2 cardiovascular disease risk score: a prospective open cohort study	340:c2442. doi: 10.1136/bmj.c2442	2010
Collins GS	British Medical Journal (BMJ)	An independent external validation and evaluation of QRISK cardiovascular risk prediction: a prospective open cohort study	339:b2584	2009
Conde E	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Conde E	Pharmacoepidemiology and Drug Safety	Lymphoma among patients with atopic dermatitis treated with topical corticosteroids (TCS) and/or topical calcineurin inhibitors (TCIs)	(19): S1-S347	2010
Conde E	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Conde E	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Conde E	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Conway P	Rheumatology (Oxford)	An evaluation of the association between C-reactive protein, the change in C-reactive protein over one year, and all-cause mortality in chronic immune-mediated inflammatory disease managed in UK general practice	48 (1): 78-82	2009
Conway P	BMC Musculoskelet Disorders	The association between C-reactive protein and the likelihood of progression to joint replacement in people with rheumatoid arthritis: a retrospective observational study	4;9:146	2008
Cook C	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075–79	2006
Cook DG	Journal of the American Medical Directors Association	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales	13:41-7	2012
Cook DG	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Cook DG	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Cook DG	Age Ageing	The impact of dementia on influenza vaccination uptake in community and care home residents	41(1):64-9	2012
Cook DG	International Journal of Geriatric Psychiatry	Antipsychotic prescribing to older people living in care homes and the community in England and Wales	26:423-434	2011
Cook DG	Br J Gen Pract	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework	61:135-8	2011
Cook DG	British Medical Journal (BMJ)	Quality of Chronic Disease Care for Older People in Care Homes and the Community in a Primary Care Pay for Performance System: A Retrospective Study	BMJ.2011 342: d912	2011
Cook DG	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010

Cooke CE	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Cooke CE	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Cooke CE	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009
Cooper C	Osteoporosis International	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK	(4):569-77	2010
Cooper C	Gastroenterology	Risk factors for the development of oesophageal cancer in Barrett's oesophagus: a primary care cohort study	132(4) Suppl 2: A420	2007
Cooper C	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Cooper C	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Cooper C	Bone	An individualised model of cost-effectiveness of bisphosphonates in elderly women	36 (S2):S138	2005
Cooper C	Bone	Persistence to bisphosphonate treatment in actual clinical practice	36 (S2):S412	2005
Cooper C	Journal of Bone and Mineral Research	The estimation of the 5-year probability of fracture in a general population of elderly women	19 (S1);S292	2004
Corrao G	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Corrao G	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Corrao G	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Coupland C	BMC Family Practice	Predicting the risk of Chronic Kidney Disease in Men and Women in England and Wales: prospective derivation and external validation of the QKidneyScores	21;11:49	2010
Coupland C	Heart	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study	(94): 34-39	2008
Cox D	RTI Health Solutions - Report	Risk Factors for Peripheral Edema in Patients Treated With Rosiglitazone and Pioglitazone: a Retrospective Analysis Using the Health Improvement Network (THIN) Database		2007
Cullinan P	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007
Curcin V	Public Library of Science (PLoS one)	Statin Induced Myopathy and Myalgia: Time Trend Analysis and Comparison of Risk Associated with Statin Class from 1991–2006	Volume 3, Issue 6 (e2522)	2008
Currie CJ	Diabetic Medicine	Estimation of primary care treatment costs and treatment efficacy for people with Type 1 and Type 2 diabetes in the United Kingdom from 1997 to 2007	27(8):938-48.	2010

Currie CJ	Rheumatology (Oxford)	An evaluation of the association between C-reactive protein, the change in C-reactive protein over one year, and all-cause mortality in chronic immune-mediated inflammatory disease managed in UK general practice	48 (1): 78-82	2009
Currie CJ	Diabetologia	The influence of glucose-lowering therapies on cancer risk in type 2 diabetes	52(9):1766-77	2009
Currie CJ	BMC Musculoskelet Disorders	The association between C-reactive protein and the likelihood of progression to joint replacement in people with rheumatoid arthritis: a retrospective observational study	4;9:146	2008
Currie CJ	Current Medical Research & Opinion	The outcome of care in people with type 1 and type 2 diabetes following switching to treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	23 (1): 33-9	2007
Currie CJ	Current Medical Research & Opinion	The prescription cost of managing people with type 1 and type 2 diabetes following initiation of treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	(8) 41-48	2007
Curtis B	International Journal of Clinical Practice	Changes and predictors for change to thiazolidinedione prescribing in UK primary care following the rosiglitazone safety warning	65(5):586-91	2011
Curtis BH	Diabet Med	Optimization of insulin therapy in patients with Type 2 diabetes mellitus: beyond basal insulin	29(7):e13-20. doi: 10.1111/j.1464-5491.2012.03586.x	2012
Dai WS	Obesity	The incidence rate of seizures in relation to BMI in UK adults	16(9):2126-32	2008
Dain M	Value in Health	Duration of first insulin therapy in previously uncontrolled type 2 diabetes: comparison of insulins glargine, detemir and NPH and association with glycemic control	2010;13(7):A298	2010
Dain MP	Diabetes Research and Clinical Practice	A comparison of duration of first prescribed insulin therapy in uncontrolled type 2 diabetes	2011;94(3):442-48	2011
Damery S	Colorectal Disease	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study	doi: 10.1111/j.1463-1318.2010.02488.x	2010
Das-Gupta E	Pharmacoepidemiology and Drug Safety	NSAID use and risk of leukaemia: a population-based case-control study	18(9):833-6	2009
Das-Gupta E	BMC Cancer	The incidence of and mortality from leukaemias in the UK: a general population-based study	26;9(1):252	2009
Dattani H	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Dattani H	Inform Prim Care	Generalisability of The Health Improvement Network (THIN) database: demographics, chronic disease prevalence and mortality rates.	19(4):251-5.	2011
Dattani H	Value in Health	Impact of the UK public smoking ban on the prescribing of smoking cessation therapy in primary care – a THIN database study	13(3):A203	2010

Dattani H	Pharmacoepidemiology and Drug Safety	Prescribing Behaviour of Smoking Cessation Products in the UK – A THIN Database Study	(19): S1-S347	2010
Dattani H	Pharmacoepidemiology and Drug Safety	Challenges in obtaining ethical approval for a pilot study to obtain biosamples in a UK medical records database	15:(S1):S137-138	2006
Dattani H	The National Institute of Clinical Excellence (NICE) conference. Birmingham, UK 2006	Has the Quality and Outcomes Framework (QOF) Scheme Impacted upon General Practitioners' (GPs) Clinical Practice?	Poster presentation	2006
Dattani H	Informatics in Primary Care	Feasibility Study and Methodology to create a Quality Evaluated Database of Primary Care Data	12(3):171-7	2004
Dattani H	Annual Scientific Meeting, "Moving from policy to reality-How was it for you?"	Feasibility Study and Methodology to Establish a System to Improve Recording of Quality Indicators in Primary Care Data		2004
Dave S	Abstract, The Society For Academic Primary Care,	Using Primary care databases to assess incidence rates of parental depression	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Davé S	Archives of Pediatrics & Adolescent Medicine	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database.	164(11):1038-44	2010
Davies A R	European Heart Journal	Contribution of changes in incidence and mortality to trends in the prevalence of coronary heart disease in the UK: 1996 2005	28: 2142-2147	2007
de la Iglesia B	Heart	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	97(6):491-9	2011
De Laet C	QJM: An International Journal of Medicine	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids	98:191–198	2005
de Luise C	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
de Lusignan S	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
De Lusignan S	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
de Man F	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Denburg M	Pharmacoepidemiology and Drug Safety	Validation of the Health Improvement Network (THIN) Database for Epidemiologic Studies of Chronic Kidney Disease	(19): S1-S347	2010
Denburg MR	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) database for epidemiologic studies of chronic kidney disease	20(11):1138-49. doi: 10.1002/pds.2203	2011
Desamericq G	Pharmacoepidemiology and Drug Safety	Comparison of Prescribing Patterns for Asthma in Five European Countries	(19): S1-S347	2010

DeWilde S	Journal of the American Medical Directors Association	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales	13:41-7	2012
Dewilde S	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Dewilde S	Age Ageing	The impact of dementia on influenza vaccination uptake in community and care home residents	41(1):64-9	2012
DeWilde S	International Journal of Geriatric Psychiatry	Antipsychotic prescribing to older people living in care homes and the community in England and Wales	26:423-434	2011
DeWilde S	Br J Gen Pract	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework	61:135-8	2011
DeWilde S	British Medical Journal (BMJ)	Quality of Chronic Disease Care for Older People in Care Homes and the Community in a Primary Care Pay for Performance System: A Retrospective Study	BMJ.2011 342: d912	2011
DeWilde S	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Dhar A	Digestive Disease Week conference in San Diego	How commonly is gastric cancer missed at endoscopy (a UK primary care based study) ?	Presentation	2012
Dieleman J	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Dieleman J	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Dieleman J	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Dieleman JP	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Dieleman JP	Pharmacoepidemiology and Drug Safety	Prescription trends for dopamine agonists in UK primary care - The influence of safety alerts concerning valvular heart disease	(19): S1-S347	2010
Dimery I	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Dimery I	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Donaldson GC	Chest	Increased risk of Myocardial Infarction and Stroke following Exacerbation of Chronic Obstructive Pulmonary Disease	137(5):1091-7	2009
Donnelly R	Arch Intern Med	Association Between Thiazolidinedione Treatment and Risk of Macular Edema Among Patients With Type 2 DiabetesThiazolidinedione and Macular Edema in Type 2 DM	11:1-7. doi: 10.1001/archinternmed.2012.1938.	2012
Douglas	Pharmacoepidemiology and Drug Safety	Determinants of cholesterol and triglyceride recording in patients treated with lipid lowering therapy in UK primary care	16:S1-S274 (480)	2007
Douglas I	Society for Academic Primary Care (SAPC)	A cohort study to measure the impact of statin therapy on short-term mortality following a pneumonia episode	SAPC Bristol 6-8 July 2011	2011

Douglas I	BMJ	Effect of statin treatment on short term mortality after pneumonia episode: cohort study	342:d1642. doi: 10.1136/bmj.d1642.	2011
Douglas I	Pharmacoepidemiology and Drug Safety	A Propensity Score Adjusted Cohort Study To Measure the Impact of Statin Therapy on Short-Term Mortality Following a Pneumonia Episode	(19): S1-S347	2010
Douglas I	British Journal of Clinical Pharmacology	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials	67 (1): 99-109	2009
Douglas I	Pharmacoepidemiology and Drug Safety	Classification of hyperlipidemia from automated primary care data in the UK and France	16:S1-S274 (424)	2007
Douglas I	Value in Health	The application of discrete even simulation to quantitative risk benefit analysis	12(7):A453	2009
Douglas I	Pharmacoepidemiology and Drug Safety	Patterns of cholesterol levels in patients treated with lipid lowering drugs in UK primary care	16:S1-S274 (481)	2007
Douglas IJ	Pharmacoepidemiology and Drug Safety	A propensity score controlled cohort study to investigate the effects of Statins	16:S1-S274 (474)	2007
Doyle P	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Doyle P	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
Doyle P	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
Doyle P	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Dubreuil M	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Dubreuil M	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Dukes E	Pain Pract	Use of pregabalin in patients with painful neuropathic disorders under the care of general practitioners in the U.K	9(1):18-34	2008
Edelsberg J	Pain Pract	Use of pregabalin in patients with painful neuropathic disorders under the care of general practitioners in the U.K	9(1):18-34	2008
Elliott R	Society for Academic Primary Care (SAPC)	Estimating the impact of adherence to allopurinol therapy on the outcomes of gout using The Health Improvement Network (THIN) general practice database	SAPC Bristol 6-8 July 2011	2011
Elliott R	Pharmacoepidemiology and Drug Safety	The Impact of Prescribing Guidelines on Physician Selection of Drug Therapy for Newly Diagnosed Patients with Hypertension in the UK	(19): S1-S347	2010
Elliott RA	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Emery P	Pain Pract	Therapy Switching, Augmentation, and Discontinuation in Patients with Osteoarthritis and Chronic Low Back Pain	12(6):457-68	2012
Esposito DB	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012

eufkens HGM	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Evans ML	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010
Evans S	Society for Academic Primary Care (SAPC)	Pregnancy and prescribed psychotropic medicine	SAPC Bristol 6-8 July 2011	2011
Evans S	Pharmacoepidemiology and Drug Safety	A Propensity Score Adjusted Cohort Study To Measure the Impact of Statin Therapy on Short-Term Mortality Following a Pneumonia Episode	(19): S1-S347	2010
Evans S	Journal of Antimicrobial Chemotherapy	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study.	65(10):2238-46	2010
Evans S	Pharmacoepidemiology and Drug Safety	Oral Antibiotic Prescribing in Pregnancy in United Kingdom	(19): S1-S347	2010
Evans S	Pharmacoepidemiology and Drug Safety	SSRI and Risk of Congenital Cardiac Abnormalities	(19): S1-S347	2010
Evans S	The Society for Academic Primary Care (SAPC)	Antibiotic prescribing during pregnancy in primary care		2009
Evans S	British Journal of Clinical Pharmacology	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials	67 (1): 99-109	2009
Evans S	Abstract, The Society For Academic Primary Care,	Antidepressant prescribing during pregnancy	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Evans S	Society for Academic Primary Care (SAPC)	A cohort study to measure the impact of statin therapy on short-term mortality following a pneumonia episode	SAPC Bristol 6-8 July 2011	2011
Evans S	BMJ	Effect of statin treatment on short term mortality after pneumonia episode: cohort study	342:d1642. doi: 10.1136/bmj.d1642.	2011
Evans SJ	J Clin Psychiatry	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network.	72(7):979-85	2011
Evans SJ	Pharmacoepidemiology and Drug Safety	A propensity score controlled cohort study to investigate the effects of Statins	16:S1-S274 (474)	2007
Fanelli M	The American Journal of Gastroenterology	Potential Association Between the Oral Tetracycline Class of Antimicrobials Used to Treat Acne and Inflammatory Bowel Disease.	105(12):2610-6	2010
Fardet L	BMJ	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study	345:e4928. doi: 10.1136/bmj.e4928.	2012
Fardet L	Am J Psychiatry	Suicidal behavior and severe neuropsychiatric disorders following glucocorticoid therapy in primary care	169(5):491-7.	2012
Fardet L	Rev Med Interne	Description of oral glucocorticoid prescriptions in general population	32(10):594-9	2011
Fardet L	Rheumatology (Oxford)	Prevalence of long-term oral glucocorticoid prescriptions in UK over the past 20 years.	50(11):1982-90	2011

Farrington CP	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Farrington CP	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Farrington CP	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
Farrington P	Tobacco Control	Use of nicotine replacement therapy and the risk of acute myocardial infarction, stroke and death	14(6): 416-421	2005
Faulding S	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Feary J R	Thorax BMJ	Prevalence of major comorbidities in subjects with COPD and incidence of myocardial infarction and stroke: a comprehensive analysis using data from primary care	65:956-962 doi:10.1136/thx.2009.128082	2010
Feng R	Pediatrics	Antibiotic Exposure and IBD Development Among Children: A Population-Based Cohort Study	130(4):e794-803	2012
Fernández Cantero O	Scand J Gastroenterol.	Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response	47(7):751-61.	2012
Fernández-Vidaurre C	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Fernández-Vidaurre C	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Fernández-Vidaurre C	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Fernández-Vidaurre C	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Fernando DJ	QJM: An International Journal of Medicine	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes	103(11):881-4	2010
Fernando DJ	Diab Vasc Dis Res	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study	6(1):21-4	2009
Fernando DJ	Heart	Age threshold for routine aspirin treatment to prevent cardiovascular disease in patients without diabetes	94(11):1429-32	2008
Fernando DJS	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Ferreira A	Pharmacoepidemiology and Drug Safety	Frequency and Risk Factors of Gout Flares in a Large Population-Based Cohort of Incident Gout	(19): S1-S347	2010
Fleming K	British Journal of Dermatology	A population-based study of acute medical conditions associated with bullous pemphigoid.	161(5):1149-52	2009

Fleming KM	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
Flory J	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Flory JH	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Fogarty A	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
Fogarty AW	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Fogarty AW	American Journal of Respiratory and Critical Care Medicine	The association between idiopathic pulmonary fibrosis and vascular disease: a population-based study	178(12):1257-61	2008
Forde K	Pharmacoepidemiology and Drug Safety	Risk of Myocardial Infarction in UK Primary Care Patients with Hepatitis C Virus Infection	(19): S1-S347	2010
Forde KA	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Forde KA	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Forde KA	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Forgarty AW	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Fortier K	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Fortune PJ	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Fortuny J	Diabetes Care	Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database	35(4):762-7.	2012
Fortuny J	Pharmacoepidemiology and Drug Safety	Incidence of Diabetic Retinopathy and Diabetic Macular Edema in Newly Diagnosed Type 1 and Type 2 Diabetic Patients	(19): S1-S347	2010
Freeman CP	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Gale EA	Diabetic Medicine	Estimation of primary care treatment costs and treatment efficacy for people with Type 1 and Type 2 diabetes in the United Kingdom from 1997 to 2007	27(8):938-48.	2010
Gale EA	Diabetologia	The influence of glucose-lowering therapies on cancer risk in type 2 diabetes	52(9):1766-77	2009

Ganesh V	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Ganesh V	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Gao S	Obesity	The incidence rate of seizures in relation to BMI in UK adults	16(9):2126-32	2008
Garcia Rodriguez A	Pharmacoepidemiology and Drug Safety	Risk of acute pancreatitis in association with type 2 diabetes mellitus	(19): S1-S347	2010
García Rodríguez L	Circulation	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications	123: 1047-1048	2011
García Rodríguez L	Pharmacoepidemiology and Drug Safety	Frequency and Risk Factors of Gout Flares in a Large Population-Based Cohort of Incident Gout	(19): S1-S347	2010
García Rodríguez L	Pharmacoepidemiology and Drug Safety	Incidence of Diabetic Retinopathy and Diabetic Macular Edema in Newly Diagnosed Type 1 and Type 2 Diabetic Patients	(19): S1-S347	2010
García Rodríguez LA	Scand J Gastroenterol.	Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response	47(7):751-61.	2012
García Rodríguez LA	Diabetes Care	Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database	35(4):762-7.	2012
García Rodríguez LA	Pharmacoepidemiology and Drug Safety	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records	20(8):849-57. doi: 10.1002/pds.2152	2011
García Rodríguez LA	BMJ	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care.	343:d4094. doi: 10.1136/bmj.d4094	2011
García Rodríguez LA	Diabetes Care	Acute pancreatitis in association with type 2 diabetes and anti-diabetic drugs: a population-based cohort study.	33(12):2580-5	2010
García Rodríguez LA	British Journal of General Practice	Case validation in research using large databases	60(572):160-1	2010
García Rodríguez LA	Alimentary Pharmacology & Therapeutics	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease.	31(10):1132-40	2010
García Rodríguez LA	Scandinavian Journal of Gastroenterology	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis.	45(7-8):814-21.	2010
García Rodríguez LA	Aten Primaria	Incidence rate of community acquired pneumonia in a population cohort registered in BIFAP	42(11):543-9	2010
García Rodríguez LA	Prim Care Companion J Clin Psychiatry	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns.	12(1):PCC.08m00764.	2010
García Rodríguez LA	Alimentary Pharmacology & Therapeutics	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005	30(10):1039-48	2009
García Rodríguez LA	Pancreatology	Use of angiotensin II receptor blockers and the risk of acute pancreatitis: a nested case-control study.	9(6):786-92	2009
García Rodríguez LA	Cancer Epidemiology	Antibiotic use and the risk of lung cancer	17(6):1308-15	2008
García Rodríguez LA	Alimentary Pharmacology & Therapeutics	Proton pump inhibitors reduce the long-term risk of recurrent upper gastrointestinal bleeding: an observational study	28(5):629-37	2008

García Rodríguez LA	Journal of the American College of Cardiology	Role of dose potency in the prediction of risk of myocardial infarction associated with nonsteroidal anti-inflammatory drugs in the general population	52(20):1628-36	2008
García Rodríguez LA	International Journal of Cancer	Non-steroidal anti-inflammatory drugs and risk of lung cancer	120, 1565–1572	2007
García Rodríguez LA	Gastroenterology	Risk of upper gastrointestinal complications among users of traditional NSAIDs and COXIBs in the general population	132(2): 498-506	2007
García Rodríguez LA	Cancer Causes Control Aug 2007	Use of antidepressants and risk of lung cancer	18(10):1055-64	2007
Gastanaga V	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Gastanaga V	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Gehlbach S	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Gehlbach S	Journal of Bone and Mineral Research	The estimation of the 5-year probability of fracture in a general population of elderly women	19 (S1);S292	2004
Gelfand J	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Gelfand JM	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Gelfand JM	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Gelfand JM	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
George Rice C	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Geusens P	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Geusens P	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Geusens P	QJM: An International Journal of Medicine	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids	98:191–198	2005
Geusens P	Bone	An individualised model of cost-effectiveness of bisphosphonates in elderly women	36 (S2):S138	2005
Geusens P	Bone	Persistence to bisphosphonate treatment in actual clinical practice	36 (S2):S412	2005
Geusens P	Journal of Bone and Mineral Research	The estimation of the 5-year probability of fracture in a general population of elderly women	19 (S1);S292	2004
Ghosh S	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Gibson J	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Gibson JE	BMC Public Health	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study	31;10:799.	2010

Gibson JE	Thorax BMJ	Prevalence of major comorbidities in subjects with COPD and incidence of myocardial infarction and stroke: a comprehensive analysis using data from primary care	65:956-962 doi:10.1136/thx.2009.128082	2010
Gibson JE	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
Gibson JE	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
Gibson JE	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
Gibson JE	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Gibson JE	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Gibson JE	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Gibson JE	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
Gilbert DL	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Gilbert R	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
Gilbert R	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
Gilbert R	Society for Academic Primary Care (SAPC)	Pregnancy and prescribed psychotropic medicine	SAPC Bristol 6-8 July 2011	2011
Gilbert R	Society for Academic Primary Care (SAPC)	Primary -care databases: An alternative to disease registers for population-based research into cerebral palsy in the UK	SAPC Bristol 6-8 July 2011	2011
Gilbert R	Journal of Antimicrobial Chemotherapy	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study.	65(10):2238-46	2010
Gilbert R	Pharmacoepidemiology and Drug Safety	Oral Antibiotic Prescribing in Pregnancy in United Kingdom	(19): S1-S347	2010
Gilbert R	Pharmacoepidemiology and Drug Safety	SSRI and Risk of Congenital Cardiac Abnormalities	(19): S1-S347	2010
Gilbert R	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Gilbert R	The Society for Academic Primary Care (SAPC)	Antibiotic prescribing during pregnancy in primary care		2009
Gilbert R	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Gilbert R	Abstract, The Society For Academic Primary Care,	Antidepressant prescribing during pregnancy	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008

Gilbert RE	J Clin Psychiatry	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network.	72(7):979-85	2011
Gilmour S	British Medical Journal (BMJ)	Explaining variation in referral from primary to secondary care: cohort study	BMJ 2010; 341:c6267	2010
Gimeno V	Diabetic Medicine	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care	29(8): e191-e198.	2012
Giovannoni G	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Giovannoni G	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Gitlin M	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Gitlin M	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99–107	2011
Gladman J	Pharmacoepidemiology and Drug Safety	Risk of falls associated with antihypertensive medication: self-controlled case series	20(8):879-84. doi: 10.1002/pds.2176	2011
Gladman J	Drugs Aging	Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants and the Risk of Falls in Older People: Case-Control and Case-Series Analysis of a Large UK Primary Care Database	28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Gladman J	Drugs Aging	Serotonin-norepinephrine reuptake inhibitor antidepressants and the risk of falls in older people: case-control and case-series analysis of a large UK primary care database.	1;28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Gladman J	QJM: An International Journal of Medicine	Incidence and mortality of falls amongst older people in primary care in the United Kingdom	102(7):477-83	2009
Gladman JR	Age and Ageing	Risk of falls associated with antihypertensive medication: population-based case-control study	39(5):592-7	2010
Glanz K	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Godfrey C	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Godfrey C	Tobacco Control	Use of nicotine replacement therapy and the risk of acute myocardial infarction, stroke and death	14(6): 416-421	2005
Godfrey C	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
González EL	Journal of Epidemiology & Community Health	Trends in the prevalence and incidence of diabetes in the UK: 1996-2005	63(4):332-6	2009
González-Pérez A	Diabetes Care	Acute pancreatitis in association with type 2 diabetes and anti-diabetic drugs: a population-based cohort study.	33(12):2580-5	2010
González-Pérez A	Journal of Allergy and Clinical Immunology	Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review.	125(5):1098-1104	2010

González-Pérez A	Pharmacoepidemiology and Drug Safety	Risk of acute pancreatitis in association with type 2 diabetes mellitus	(19): S1-S347	2010
Gopal M	American College of Obstetricians and Gynecologists	Discontinuation Rates of Anticholinergic Medications Used for the Treatment of Lower Urinary Tract Symptoms	Vol: 112 (6)	2008
Gordon J	International Journal of Clinical Practice	A comparison of intermediate and long-acting insulins in people with type 2 diabetes starting insulin: an observational database study.	64(12):1609-18	2010
Gordon J	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
Gordon J	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009
Gore M	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Gore M	Pain Pract	Therapy Switching, Augmentation, and Discontinuation in Patients with Osteoarthritis and Chronic Low Back Pain	12(6):457-68	2012
Gough SC	Diabetic Medicine	Delayed initiation of subcutaneous insulin therapy after failure of oral glucose-lowering agents in patients with Type 2 diabetes: a population-based analysis in the UK	24(12):1412-8	2007
Graham P	Gastroenterology	Risk factors for the development of oesophageal cancer in Barrett's oesophagus: a primary care cohort study	132(4) Suppl 2: A420	2007
Gribbin J	Pharmacoepidemiology and Drug Safety	Risk of falls associated with antihypertensive medication: self-controlled case series	20(8):879-84. doi: 10.1002/pds.2176	2011
Gribbin J	Drugs Aging	Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants and the Risk of Falls in Older People: Case-Control and Case-Series Analysis of a Large UK Primary Care Database	28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Gribbin J	Drugs Aging	Serotonin-norepinephrine reuptake inhibitor antidepressants and the risk of falls in older people: case-control and case-series analysis of a large UK primary care database.	1;28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Gribbin J	Age and Ageing	Risk of falls associated with antihypertensive medication: population-based case-control study	39(5):592-7	2010
Gribbin J	QJM: An International Journal of Medicine	Incidence and mortality of falls amongst older people in primary care in the United Kingdom	102(7):477-83	2009
Gribbin J	Respiratory Medicine	Role of diabetes mellitus and gastro-oesophageal reflux in the aetiology of idiopathic pulmonary fibrosis	103(6):927-31	2009
Gribbin J	QJM: An International Journal of Medicine	The impact of the 2004 NICE guideline and 2003 General Medical Services contract on COPD in primary care in the UK	101(2):145-153	2008
Gribbin J	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007

Gribbin J	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
Gribbin J	American Journal of Respiratory and Critical Care Medicine	The association between idiopathic pulmonary fibrosis and vascular disease: a population-based study	178(12):1257-61	2008
Griffin G	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Griffin G	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Griffin G	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Griffin M	PLoS One	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care	7(8):e41670	2012
Griffin M	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009
Griffiths C	Journal of Public Health	Antidepressant prescribing and changes in antidepressant poisoning mortality and suicide in England, 1993–2004	(30); 60 - 68	2008
Groves RW	Journal of Investigative Dermatology	The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Case-Control Study.	[ahead of print]	2010
Grundy EM	European Heart Journal	Contribution of changes in incidence and mortality to trends in the prevalence of coronary heart disease in the UK: 1996 2005	28: 2142-2147	2007
Guest J	Current Medical Research & Opinion	Cost-effectiveness of macrogol 4000 compared to lactulose in the treatment of chronic functional constipation in the UK	Vol: 24(7) 2008; pages 1841–1852	2008
Guest JF	Pediatr Allergy Immunol	Cost-effectiveness of using an extensively hydrolysed formula compared to an amino acid formula as first-line treatment for cow milk allergy in the UK	23(3):240-9. doi: 10.1111/j.1399-3038.2011.01262.x	2012
Guest JF	J Wound Care.	Relative cost-effectiveness of a skin protectant in managing venous leg ulcers in the UK	21(8):389-98.	2012
Guest JF	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Guest JF	Journal of Medical Economics	Resource implications and budget impact of managing cow milk allergy in the UK	13(1):119-28	2010
Guest JF	Alimentary Pharmacology & Therapeutics	The cost-effectiveness of macrogol 3350 compared to lactulose in the treatment of adults suffering from chronic constipation in the UK.	31(2):302-12	2010
Gulliford MC	American Journal of Managed Care	Diabetes Diagnosis, Resource Utilization, and Health Outcomes	14(1):32-8	2008
Gulliford MC	Diabetes Care	Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes	29(8): 1929-1930	2006
Gulliford MC	Diabetes Care	Risk of Diabetes Associated With Prescribed Glucocorticoids in a Large Population	29 (12): 2728-29	2006
Gunathilake W	QJM: An International Journal of Medicine	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes	103(11):881-4	2010

Gutierrez L	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99–107	2011
Gutiérrez L	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Hall A J	British Journal of Clinical Pharmacology	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials	67 (1): 99-109	2009
Hall A J	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075–79	2006
Hall G	Value in Health	Duration of first insulin therapy in previously uncontrolled type 2 diabetes: comparison of insulins glargine, detemir and NPH and association with glycemic control	2010;13(7):A298	2010
Hall G	Pharmacoepidemiology and Drug Safety	Death recording in a UK primary care database	17: S245-S246	2008
Hall G	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting in automated patient databases	17: S250	2008
Hall G	Pharmacoepidemiology and Drug Safety	The association of weight change with depression	16:S1-S220 (464)	2007
Hall GC	Pharmacoepidemiology and Drug Safety	Macrovascular and microvascular outcomes after beginning of insulin versus additional oral glucose-lowering therapy in people with type 2 diabetes: an observational study	21(3):305-13. doi: 10.1002/pds.2345.	2012
Hall GC	Diabetes Research and Clinical Practice	A comparison of duration of first prescribed insulin therapy in uncontrolled type 2 diabetes	2011;94(3):442-48	2011
Hall GC	International Journal of Clinical Practice	Changes and predictors for change to thiazolidinedione prescribing in UK primary care following the rosiglitazone safety warning	65(5):586-91	2011
Hall GC	Pharmacoepidemiology and Drug Safety	Validation of death and suicide recording on the THIN UK primary care database	18(2):120-31	2009
Hall GC	British Medical Journal (BMJ)	Early head injury and attention deficit hyperactivity disorder: retrospective cohort study	337: a1984	2008
Hall GC	BMC Family Practice	Primary care incidence and treatment of four neuropathic pain conditions: a descriptive study, 2002-2005.	0.393055556	2008
Hall GC	Pharmacoepidemiology and Drug Safety	Comparative study of modified release alpha-blocker exposure in elderly patients with fractures	16(8):901-907	2007
Hamilton W	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Hamilton W	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Hamilton W	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case–control study using electronic primary care records	98(2), 323 – 327	2008

Hamilton WT	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland ahead of print	2008
Hardoon S	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom		2012
Hardoon S	British Medical Journal (BMJ)	Explaining variation in referral from primary to secondary care: cohort study	BMJ 2010; 341:c6267	2010
Hardoon S	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Hardoon SL	J Epidemiol Community Health	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study.	65(9):770-4	2010
Hards M	Diabetic Medicine	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care	29(8): e191-e198.	2012
Hards M	Diabet Med	Optimization of insulin therapy in patients with Type 2 diabetes mellitus: beyond basal insulin	29(7):e13-20. doi: 10.1111/j.1464-5491.2012.03586.x	2012
Hards M	Eur J Ophthalmol	Topical prostaglandin fixed combinations in UK primary care: observational study using data from the health improvement network	doi: 10.5301/ejo.5000068	2011
Hards M	Current Medical Research & Opinion	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study	Vol. 26, No. 4, 2010, 861–870	2010
Hards M	UK National Smoking Cessation Conference (UKNSCC) June, Glasgow	Evaluation of varenicline as an aid to smoking cessation in UK general practice – a THIN database study		2010
Hards M	Value in Health	Has the Quality and Outcomes Framework Influenced Primary Care Data Recording?	13 (7);A416	2010
Hards M	Value in Health	How do THIN Death Data Compare to National Figures for each UK Country?	13 (7);A331	2010
Hards M	Value in Health	Impact of the UK public smoking ban on the prescribing of smoking cessation therapy in primary care – a THIN database study	13(3):A203	2010
Hards M	Pharmacoepidemiology and Drug Safety	Prescribing Behaviour of Smoking Cessation Products in the UK – A THIN Database Study	(19): S1-S347	2010
Hards M	Congress of the European Glaucoma Society, Madrid, Spain	Use of Topical Prostaglandin Fixed Combination in the UK Primary Care: An Observational Study in The Health Improvement Network (THIN) Database		2010
Hards M	Value in Health	“The “who, how and then what...” of insulin initiation in UK primary care”	12(7):A412	2009
Hards M	Value in Health	Can the relationship between age and cholesterol levels indicate effectiveness of lipid lowering therapy in primary care? France, Germany, Italy and UK	12(3):A142-A143	2009

Hardy J	Pharmacoepidemiology and Drug Safety	Maternal Use of Proton Pump Inhibitors (PPI) during Pregnancy Is Associated with an Increased Risk for Cardiac Birth Defects: Analysis of 208,951 Pregnancies from the THIN Database	(19): S1-S347	2010
Harnett J	The Journal of Sexual Medicine	Factors That Predict Switching Phosphodiesterase Type 5 Inhibitor Medication in the United Kingdom	Vol 3 Issue s3:199	2006
Harnett J	8th Congress of the European Society for Sexual Medicine - Copenhagen, Denmark 2005	Factors that predict switching Phosphodiesterase type 5 Inhibitor medication in the United Kingdom		2005
Harnett JP	British Journal of Urology	Factors that predict changing the type of phosphodiesterase type 5 inhibitor medication among men in the UK	99(4):860-3	2007
Harris T	Journal of the American Medical Directors Association	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales	13:41-7	2012
Harris T	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Harris T	Age Ageing	The impact of dementia on influenza vaccination uptake in community and care home residents	41(1):64-9	2012
Harris T	International Journal of Geriatric Psychiatry	Antipsychotic prescribing to older people living in care homes and the community in England and Wales	26:423-434	2011
Harris T	Br J Gen Pract	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework	61:135-8	2011
Harris T	British Medical Journal (BMJ)	Quality of Chronic Disease Care for Older People in Care Homes and the Community in a Primary Care Pay for Performance System: A Retrospective Study	BMJ.2011 342: d912	2011
Harris T	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Harrison TW	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Harrison WN	Journal of Human Hypertension	Variation in recorded blood pressure terminal digit bias in general practice	22(3):163-7	2008
Hassiotis A	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Haverkamp W	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Haverkamp W	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Haverkamp W	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Hawkey CJ	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Hayes J	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011

Haynes K	Pediatrics	Antibiotic Exposure and IBD Development Among Children: A Population-Based Cohort Study	130(4):e794-803	2012
Haynes K	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Haynes K	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Haynes K	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Haynes K	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Haynes K	Pharmacoepidemiology and Drug Safety	Temporal and within practice variability in the health improvement network	20(9):948-55. doi: 10.1002/pds.2191	2011
Haynes K	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) database for epidemiologic studies of chronic kidney disease	20(11):1138-49. doi: 10.1002/pds.2203	2011
Haynes K	Pharmacoepidemiology and Drug Safety	Between and within practice variability among practices within the health improvement network	(19): S1-S347	2010
Haynes K	Pharmacoepidemiology and Drug Safety	Maternal Use of Proton Pump Inhibitors (PPI) during Pregnancy Is Associated with an Increased Risk for Cardiac Birth Defects: Analysis of 208,951 Pregnancies from the THIN Database	(19): S1-S347	2010
Haynes K	Pharmacoepidemiology and Drug Safety	Parameterizing Risk-Benefit Models from Primary Care Data: Recurrence and Exacerbation	(19): S1-S347	2010
Haynes K	Pharmacoepidemiology and Drug Safety	Risk of Myocardial Infarction in UK Primary Care Patients with Hepatitis C Virus Infection	(19): S1-S347	2010
Haynes K	Pharmacoepidemiology and Drug Safety	Validation of the Health Improvement Network (THIN) Database for Epidemiologic Studies of Chronic Kidney Disease	(19): S1-S347	2010
Haynes K	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Haynes K	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Haynes K	Clinical Pharmacology & Therapeutics	Declining public health burden of digoxin toxicity from 1991 to 2004	84(1):90-4	2008
Haynes K	American College of Obstetricians and Gynecologists	Discontinuation Rates of Anticholinergic Medications Used for the Treatment of Lower Urinary Tract Symptoms	Vol: 112 (6)	2008
Haynes K	Pharmacoepidemiology and Drug Safety	Does an increase in serum creatinine after starting ACE inhibitors influence their discontinuation	17: S277	2008
Haynes K	Pharmacoepidemiology and Drug Safety	Recording of pancreatic, colorectal and lung cancer incidence in The Health Improvement Network (THIN)	17: S38	2008
Haynes K	Pharmacoepidemiology and Drug Safety	Challenges in obtaining ethical approval for a pilot study to obtain biosamples in a UK medical records database	15:(S1):S137-138	2006

Hayward A	Society for Academic Primary Care (SAPC)	The impact of pneumococcal conjugate vaccination on primary care consultations in the UK	SAPC Bristol 6-8 July 2011	2011
Heitjan D	Clinical Pharmacology & Therapeutics	Declining public health burden of digoxin toxicity from 1991 to 2004	84(1):90-4	2008
Helter M	Current Medical Research & Opinion	Cost-effectiveness of macrogol 4000 compared to lactulose in the treatment of chronic functional constipation in the UK	Vol: 24(7) 2008; pages 1841–1852	2008
Hennessy S	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Hennessy S	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Hennessy S	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Hennessy S	Clinical Pharmacology & Therapeutics	Declining public health burden of digoxin toxicity from 1991 to 2004	84(1):90-4	2008
Hennessy S	Pharmacoepidemiology and Drug Safety	Challenges in obtaining ethical approval for a pilot study to obtain biosamples in a UK medical records database	15;(S1):S137-138	2006
Herings R	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Herings R	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Herings R	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Herings R	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Hernán MA	Pharmacoepidemiology and Drug Safety	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records	20(8):849-57. doi: 10.1002/pds.2152	2011
Hernández-Díaz S	Circulation	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications	123: 1047-1048	2011
Hernández-Díaz S	Alimentary Pharmacology & Therapeutics	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005	30(10):1039-48	2009
Hernández-Díaz S	Cancer Epidemiology	Antibiotic use and the risk of lung cancer	17(6):1308-15	2008
Hernández-Díaz S	Pharmacoepidemiology and Drug Safety	Positive predictive value of computerised medical records for uncomplicated upper gastrointestinal ulcer	17: S126	2008
Hernández-Díaz S	International Journal of Cancer	Non-steroidal anti-inflammatory drugs and risk of lung cancer	120, 1565–1572	2007
Hernández-Díaz S	Cancer Causes Control Aug 2007	Use of antidepressants and risk of lung cancer	18(10):1055-64	2007
Hippisley-Cox J	BMC Family Practice	Predicting the risk of Chronic Kidney Disease in Men and Women in England and Wales: prospective derivation and external validation of the QKidneyScores	21;11:49	2010

Hippisley-Cox J	Heart	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study	(94): 34-39	2008
Hoare J	Digestive Disease Week conference in San Diego	How commonly is gastric cancer missed at endoscopy (a UK primary care based study) ?	Presentation	2012
Hobbs FR	Colorectal Disease	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study	doi: 10.1111/j.1463-1318.2010.02488.x	2010
Hobbs R	Annual Research Conference - West Midlands Deanery, Department of Primary Care & General Practice, The University of Birmingham 2007	The prescribing of statins and mortality following a diagnosis of heart failure	May	2007
Hobbs R	Annals of Medicine (informa healthcare)	Statins in heart failure: Retrospective cohort study using routine primary care data	11:1-7	2009
Hodgkins P	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Hodgkins P	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Hoffstad O	The American Journal of Gastroenterology	Potential Association Between the Oral Tetracycline Class of Antimicrobials Used to Treat Acne and Inflammatory Bowel Disease.	105(12):2610-6	2010
Hoffstad O	Pharmacoepidemiology and Drug Safety	Association between serious ischemic cardiac outcomes and medications used to treat diabetes	Volume 17 Issue 8, Pages 753 - 759	2008
Holden W	Pharmacoepidemiology and Drug Safety	Changes in the incidence of encephalitis in the UK	17: S253	2008
Holick CN	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Holmes J	Pharmacoepidemiology and Drug Safety	Does an increase in serum creatinine after starting ACE inhibitors influence their discontinuation	17: S277	2008
Holmes P	Current Medical Research & Opinion	The outcome of care in people with type 1 and type 2 diabetes following switching to treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	23 (1): 33-9	2007
Holmes P	Current Medical Research & Opinion	The prescription cost of managing people with type 1 and type 2 diabetes following initiation of treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	(8) 41-48	2007
Home PD	Pharmacoepidemiology and Drug Safety	Macrovascular and microvascular outcomes after beginning of insulin versus additional oral glucose-lowering therapy in people with type 2 diabetes: an observational study	21(3):305-13. doi: 10.1002/pds.2345.	2012
Home PD	Diabetes Research and Clinical Practice	A comparison of duration of first prescribed insulin therapy in uncontrolled type 2 diabetes	2011;94(3):442-48	2011

Home PD	International Journal of Clinical Practice	A comparison of intermediate and long-acting insulins in people with type 2 diabetes starting insulin: an observational database study.	64(12):1609-18	2010
Home PD	Value in Health	Duration of first insulin therapy in previously uncontrolled type 2 diabetes: comparison of insulins glargine, detemir and NPH and association with glycemic control	2010;13(7):A298	2010
Horne LN	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Horne R	Poster presented at the 16th ERS Annual Congress in Munich 2006	Determinants of long acting bronchodilator adherence in UK COPD patients		2006
Horsfall L	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Horsfall L	Pharmacoepidemiology and Drug Safety	Identifying periods of acceptable computer usage in primary care research databases	[ahead of print]	2012
Horsfall L	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Horsfall L	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Horsfall LJ	Circulation	Cardiovascular Events as a Function of Serum Bilirubin Levels in a Large Statin-Treated Cohort	[ahead of print]	2012
Huang Y	BMC Public Health	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records	10;11:291	2011
Huang Y	J Epidemiol Community Health	Can data from primary care medical records be used to monitor national smoking prevalence?	66(9):791-5.	2011
Huang Y	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Hubbard J	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Hubbard R	Prim Care Respir J	BMI and obstructive sleep apnoea in the UK: a crosssectional study of the over-50s	10.4104/pcrj.2012.00053	2012
Hubbard R	Pharmacoepidemiology and Drug Safety	Risk of falls associated with antihypertensive medication: self-controlled case series	20(8):879-84. doi: 10.1002/pds.2176	2011
Hubbard R	Drugs Aging	Serotonin-norepinephrine reuptake inhibitor antidepressants and the risk of falls in older people: case-control and case-series analysis of a large UK primary care database.	1;28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Hubbard R	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Hubbard R	Age and Ageing	Risk of falls associated with antihypertensive medication: population-based case-control study	39(5):592-7	2010

Hubbard R	British Journal of Dermatology	A population-based study of acute medical conditions associated with bullous pemphigoid.	161(5):1149-52	2009
Hubbard R	QJM: An International Journal of Medicine	Incidence and mortality of falls amongst older people in primary care in the United Kingdom	102(7):477-83	2009
Hubbard R	Journal of Epidemiology & Community Health	Is adult height related to the risk of having Chronic Obstructive Pulmonary Disease (COPD)?	65(3):226-9	2009
Hubbard R	Pharmacoepidemiology and Drug Safety	NSAID use and risk of leukaemia: a population-based case-control study	18(9):833-6	2009
Hubbard R	Respiratory Medicine	Role of diabetes mellitus and gastro-oesophageal reflux in the aetiology of idiopathic pulmonary fibrosis	103(6):927-31	2009
Hubbard R	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
Hubbard R	Quality in primary care journal	Validation of THIN data for non-melanoma skin cancer	16(1):49-52	2008
Hubbard R	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007
Hubbard R	International Journal of Cancer	Trends in incidence of skin basal cell carcinom: Additional evidence from a UK primary care database study	Nov 1 121(9):2105-8	2007
Hubbard R	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Hubbard R	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075–79	2006
Hubbard R	Tobacco Control	Use of nicotine replacement therapy and the risk of acute myocardial infarction, stroke and death	14(6): 416-421	2005
Hubbard R	British Journal of Clinical Pharmacology	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials	67 (1): 99-109	2009
Hubbard R	Addiction	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care	May 102(5):803-8	2007
Hubbard RB	Chest.	The association between smoking quantity and lung cancer in men and women	10.1378/chest.12-1068.	2012
Hubbard RB	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
Hubbard RB	Drugs Aging	Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants and the Risk of Falls in Older People: Case-Control and Case-Series Analysis of a Large UK Primary Care Database	28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Hubbard RB	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Hubbard RB	Thorax BMJ	Prevalence of major comorbidities in subjects with COPD and incidence of myocardial infarction and stroke: a comprehensive analysis using data from primary care	65:956-962 doi:10.1136/thx.2009.128082	2010

Hubbard RB	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
Hubbard RB	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
Hubbard RB	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
Hubbard RB	BMC Cancer	The incidence of and mortality from leukaemias in the UK: a general population-based study	26;9(1):252	2009
Hubbard RB	Epidemiology and Infection	The incidence of pneumonia using data from a computerized general practice database	137(5):709-16	2009
Hubbard RB	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Hubbard RB	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Hubbard RB	American Journal of Respiratory and Critical Care Medicine	The association between idiopathic pulmonary fibrosis and vascular disease: a population-based study	178(12):1257-61	2008
Hubbard RB	QJM: An International Journal of Medicine	The impact of the 2004 NICE guideline and 2003 General Medical Services contract on COPD in primary care in the UK	101(2):145-153	2008
Hubbard RB	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
Hubbard RB	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Hubbard RB	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
Hubbard RB	QJM: An International Journal of Medicine	Extrinsic Allergic Alveolitis: Incidence and mortality in the general population	Apr 100(4):233-7	2007
Hubbard RB	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Hubbard RB	QJM: An International Journal of Medicine	Inhaled corticosteroids and the risk of fracture in chronic obstructive pulmonary disease	100(8):509-17	2007
Hubbard RB	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
Hubbard RB	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Hubbard RB	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Hubbard RB	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004

Hubbard RB	Chest	Increased risk of Myocardial Infarction and Stroke following Exacerbation of Chronic Obstructive Pulmonary Disease	137(5):1091-7	2009
Hughes G	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Hughes G	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Hughes RAC	Diabetes Care	Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes	29(8): 1929-1930	2006
Hurst JR	Chest	Increased risk of Myocardial Infarction and Stroke following Exacerbation of Chronic Obstructive Pulmonary Disease	137(5):1091-7	2009
Hvidsten K	British Journal of Urology	Factors that predict changing the type of phosphodiesterase type 5 inhibitor medication among men in the UK	99(4):860-3	2007
Hvidsten K	The Journal of Sexual Medicine	Factors That Predict Switching Phosphodiesterase Type 5 Inhibitor Medication in the United Kingdom	Vol 3 Issue s3:199	2006
Hvidsten K	8th Congress of the European Society for Sexual Medicine - Copenhagen, Denmark 2005	Factors that predict switching Phosphodiesterase type 5 Inhibitor medication in the United Kingdom		2005
Idris I	Arch Intern Med	Association Between Thiazolidinedione Treatment and Risk of Macular Edema Among Patients With Type 2 DiabetesThiazolidinedione and Macular Edema in Type 2 DM	11:1-7. doi: 10.1001/archinternmed.2012.1938.	2012
Idris I	QJM: An International Journal of Medicine	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes	103(11):881-4	2010
Idris I	Diabetes Obes Metab	Predictors of responders to insulin therapy at 1 year among adults with type 2 diabetes	12(10):865-70. doi: 10.1111/j.1463-1326.2010.01239.x	2010
Idris I	Diab Vasc Dis Res	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study	6(1):21-4	2009
Idris I	Heart	Age threshold for routine aspirin treatment to prevent cardiovascular disease in patients without diabetes	94(11):1429-32	2008
Idris I	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Iglesia B	Heart BMJ	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	[ahead of print]	2010
Iliffe S	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010
Irwin D	Poster presented at the RCGP Annual National Primary Care Conference, Glasgow, Scotland, November 2009	Cost of Managing Neuropathic Pain with Pregabalin and Gabapentin: A UK Study		2009

Ismail T	Colorectal Disease	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study	doi: 10.1111/j.1463-1318.2010.02488.x	2010
Ito T	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Ivanyi T	Diabet Med	Optimization of insulin therapy in patients with Type 2 diabetes mellitus: beyond basal insulin	29(7):e13-20. doi: 10.1111/j.1464-5491.2012.03586.x	2012
Iyen-Omofoman B	Chest.	The association between smoking quantity and lung cancer in men and women	10.1378/chest.12-1068.	2012
Iyen-Omofoman B	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Jara M	BMJ Open	A new user cohort study comparing the safety of long-acting inhaled bronchodilators in COPD	22;2(3). pii: e000841.	2012
Jara M	Drug Safety	Comparative Safety of Long-Acting Inhaled Bronchodilators	30 (12): 1151-1160	2007
Jara MM	Pharmacoepidemiology and Drug Safety	Comparative safety of long-acting bronchodilators	15: (S1):S75	2006
Johansson S	Scand J Gastroenterol.	Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response	47(7):751-61.	2012
Johansson S	BMJ	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care.	343:d4094. doi: 10.1136/bmj.d4094	2011
Johansson S	Circulation	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications	123: 1047-1048	2011
Johansson S	Alimentary Pharmacology & Therapeutics	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease.	31(10):1132-40	2010
Johansson S	Scandinavian Journal of Gastroenterology	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis.	45(7-8):814-21.	2010
Johansson S	Prim Care Companion J Clin Psychiatry	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns.	12(1):PCC.08m00764.	2010
Johansson S	Epidemiology	Acid-suppressive drugs and community-acquired pneumonia.	20(6):800-6.	2009
Johansson S	Journal of Epidemiology & Community Health	Trends in the prevalence and incidence of diabetes in the UK: 1996-2005	63(4):332-6	2009
Johansson S	Scandinavian Journal of Gastroenterology	Gastroesophageal reflux disease in children and adolescents in primary care	45(2):139-46	2010
Jones J	Pharmacoepidemiology and Drug Safety	Risk of chronic end stage renal disease after use of ACE inhibitors compared to other antihypertensives or no-antihypertensive use in a cohort of diabetic patients in the United Kingdom	17: S233	2008

Jones JK	25th Intl Conference on Pharmacoepidemiology & Therapeutic Risk Management. August 16-19, 2009, Providence, RI.	Longitudinal Assessment of Smoking in The Health Improvement Network (THIN) Database		2009
Juhaeri J	Obesity	The incidence rate of seizures in relation to BMI in UK adults	16(9):2126-32	2008
Kalaitzaki E	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom	ahead of print	2012
Kanetsky P	Clinical Pharmacology & Therapeutics	Declining public health burden of digoxin toxicity from 1991 to 2004	84(1):90-4	2008
Kanis JA	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Kanis JA	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Kaplan GG	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Keenan HT	British Medical Journal (BMJ)	Early head injury and attention deficit hyperactivity disorder: retrospective cohort study	337: a1984	2008
Kell P	The Journal of Sexual Medicine	Factors That Predict Switching Phosphodiesterase Type 5 Inhibitor Medication in the United Kingdom	Vol 3 Issue s3:199	2006
Kell P	8th Congress of the European Society for Sexual Medicine - Copenhagen, Denmark 2005	Factors that predict switching Phosphodiesterase type 5 Inhibitor medication in the United Kingdom		2005
Kell PD	British Journal of Urology	Factors that predict changing the type of phosphodiesterase type 5 inhibitor medication among men in the UK	99(4):860-3	2007
Kelleher C	23rd Annual European Association of Urology Congress. Milan, Italy	Increased Sexual Dysfunction in Women With LUTS, Including OAB, in a UK General Practice Setting: Analyses From the THIN Database	March 26–29, 2008	2008
Kendrick	Society for Academic Primary Care (SAPC)	Identification pre-school children at risk of poisoning injury using routinely recorded primary care data	SAPC Bristol 6-8 July 2011	2011
Kendrick D	PLoS One	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data.	2012;7(4):e35193.	2012
Kesten S	Drug Safety	Comparative Safety of Long-Acting Inhaled Bronchodilators	30 (12): 1151-1160	2007
Kesten S	Pharmacoepidemiology and Drug Safety	Comparative safety of long-acting bronchodilators	15: (S1):S75	2006
Khromava A	ISOP (International Society on Pharmacovigilance) [Istanbul]	From Signal Detection to Evaluation to Action: The experience of Pediacel® and Apnea	Poster presentation	2011
Khromava A	Pharmacoepidemiology and Drug Safety	Changes in the incidence of encephalitis in the UK	17: S253	2008

Kiel DP	Osteoporos Int	Diuretic initiation and the acute risk of hip fracture	[Ahead of print]	2012
Kimme S	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Kimmel SE	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Kimmel SE	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Kimmel SE	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Kimmel SE	Pharmacoepidemiology and Drug Safety	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis.	19(7):756-62.	2010
King M	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Kirby MG	Int J Clin Pract	Prevalence and detection rate of underlying disease in men with erectile dysfunction receiving phosphodiesterase type 5 inhibitors in the United Kingdom: a retrospective database study	65(7):797-806	2011
Korzenik J	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Kou TD	Calcified Tissue International	Risk of upper gastrointestinal tract events in risedronate users switched to alendronate.	87(4):298-304	2010
Kreider M	Pharmacoepidemiology and Drug Safety	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis.	19(7):756-62.	2010
Kronman MP	Pediatrics	Antibiotic Exposure and IBD Development Among Children: A Population-Based Cohort Study	130(4):e794-803	2012
Kvasz M	Diabetic Medicine	Delayed initiation of subcutaneous insulin therapy after failure of oral glucose-lowering agents in patients with Type 2 diabetes: a population-based analysis in the UK	24(12):1412-8	2007
Kvasz M	Annual meeting of the American Diabetes Association (Washington) 2006	Population-Based Study of Time to Insulin After Failure of Oral Antidiabetic (OA) Therapy in Type 2 Diabetes (T2DM) in the UK		2006
Kvasz M	Pharmacoepidemiology and Drug Safety	Time to insulin after failure of oral antidiabetic therapy in type 2 diabetes: A UK population-based analysis	15: (S1):S51	2006
Ky B	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Lack G	Journal of Medical Economics	Resource implications and budget impact of managing cow milk allergy in the UK	13(1):119-28	2010
Lack G	Pediatr Allergy Immunol	Cost-effectiveness of using an extensively hydrolysed formula compared to an amino acid formula as first-line treatment for cow milk allergy in the UK	23(3):240-9. doi: 10.1111/j.1399-3038.2011.01262.x	2012
Laforest L	Pharmacoepidemiology and Drug Safety	Comparison of Prescribing Patterns for Asthma in Five European Countries	(19): S1-S347	2010

Lancashire R	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Lancashire R	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Lancashire R	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case-control study using electronic primary care records	98(2), 323 – 327	2008
Lancashire R	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Lancashire RJ	Journal of Human Hypertension	Variation in recorded blood pressure terminal digit bias in general practice	22(3):163-7	2008
Lane NE	Am J Med	Impact of Age, Sex, Obesity, and Steroid Use on Quinolone-associated Tendon Disorders	[Ahead of print]	2012
Lanes S	BMJ Open	A new user cohort study comparing the safety of long-acting inhaled bronchodilators in COPD	22;2(3). pii: e000841.	2012
Lanes SF	Drug Safety	Comparative Safety of Long-Acting Inhaled Bronchodilators	30 (12): 1151-1160	2007
Lanes SF	Pharmacoepidemiology and Drug Safety	Comparative safety of long-acting bronchodilators	15: (S1):S75	2006
Langan SM	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Langan SM	Journal of Investigative Dermatology	The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Case-Control Study.	[ahead of print]	2010
Langan SM	British Journal of Dermatology	A population-based study of acute medical conditions associated with bullous pemphigoid.	161(5):1149-52	2009
Langan SM	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
Langley TE	Addiction	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England	107(7):1341-8	2012
Langley TE	Addiction	The impact of media campaigns on smoking cessation activity: A structural vector autoregression analysis	doi: 10.1111/j.1360-0443.2012.03958.x	2012
Langley TE	BMC Public Health	Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data	7;11:773	2011
Langley TE	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Lapi F	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Lapi F	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Lapi F	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Lassa S	Br J Dermatol	Epidemiology of scabies prevalence in the U.K. from general practice records.	164(6):1329-34	2011

Latinovic R	Diabetes Care	Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes	29(8): 1929-1930	2006
Latinovic R	Diabetes Care	Risk of Diabetes Associated With Prescribed Glucocorticoids in a Large Population	29 (12): 2728-29	2006
Latinovic R	American Journal of Managed Care	Diabetes Diagnosis, Resource Utilization, and Health Outcomes	14(1):32-8	2008
Laudati J	Pharmacoepidemiology and Drug Safety	Risk of chronic end stage renal disease after use of ACE inhibitors compared to other antihypertensives or no-antihypertensive use in a cohort of diabetic patients in the United Kingdom	17: S233	2008
Le Jeune I	American Journal of Respiratory and Critical Care Medicine	The association between idiopathic pulmonary fibrosis and vascular disease: a population-based study	178(12):1257-61	2008
Le Jeune I	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007
Le Jeune I	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
Lee J	Value in Health	Has the Quality and Outcomes Framework Influenced Primary Care Data Recording?	13 (7);A416	2010
Lee J	Value in Health	How do THIN Death Data Compare to National Figures for each UK Country?	13 (7);A331	2010
Lee M	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Lee MS	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Leonard M	Pharmacoepidemiology and Drug Safety	Validation of the Health Improvement Network (THIN) Database for Epidemiologic Studies of Chronic Kidney Disease	(19): S1-S347	2010
Leonard MB	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) database for epidemiologic studies of chronic kidney disease	20(11):1138-49. doi: 10.1002/pds.2203	2011
Leonardi-Bee J	Quality in primary care journal	Validation of THIN data for non-melanoma skin cancer	16(1):49-52	2008
Leonardi-Bee J	International Journal of Cancer	Trends in incidence of skin basal cell carcinom: Additional evidence from a UK primary care database study	Nov 1 121(9):2105-8	2007
Leslie DL	Pain Pract	Therapy Switching, Augmentation, and Discontinuation in Patients with Osteoarthritis and Chronic Low Back Pain	12(6):457-68	2012
Leufkens HG	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Leufkens HGM	QJM: An International Journal of Medicine	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids	98:191-198	2005
Leufkens HGM	Bone	An individualised model of cost-effectiveness of bisphosphonates in elderly women	36 (S2):S138	2005
Leufkens HGM	Bone	Persistence to bisphosphonate treatment in actual clinical practice	36 (S2):S412	2005

Leufkens HGM	Journal of Bone and Mineral Research	The estimation of the 5-year probability of fracture in a general population of elderly women	19 (S1);S292	2004
Lewis J	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Lewis J	Pharmacoepidemiology and Drug Safety	Risk of Myocardial Infarction in UK Primary Care Patients with Hepatitis C Virus Infection	(19): S1-S347	2010
Lewis J	Pharmacoepidemiology and Drug Safety	Recording of pancreatic, colorectal and lung cancer incidence in The Health Improvement Network (THIN)	17: S38	2008
Lewis J	Pharmacoepidemiology and Drug Safety	Validation of the Health Improvement Network (THIN) Database for Epidemiologic Studies of Chronic Kidney Disease	(19): S1-S347	2010
Lewis JD	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Lewis JD	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Lewis JD	Pharmacoepidemiology and Drug Safety	Temporal and within practice variability in the health improvement network	20(9):948-55. doi: 10.1002/pds.2191	2011
Lewis JD	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) database for epidemiologic studies of chronic kidney disease	20(11):1138-49. doi: 10.1002/pds.2203	2011
Lewis JD	Pharmacoepidemiology and Drug Safety	Between and within practice variability among practices within the health improvement network	(19): S1-S347	2010
Lewis JD	The American Journal of Gastroenterology	Potential Association Between the Oral Tetracycline Class of Antimicrobials Used to Treat Acne and Inflammatory Bowel Disease.	105(12):2610-6	2010
Lewis JD	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Lewis JD	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Lewis JD	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) database for pharmacoepidemiology research	2007 Apr 16(4):393-401	2007
Lewis JD	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) Database for pharmacoepidemiology research	15: (S1):S233-234	2006
Lewis S	Addiction	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England	107(7):1341-8	2012
Lewis S	Addiction	The impact of media campaigns on smoking cessation activity: A structural vector autoregression analysis	doi: 10.1111/j.1360-0443.2012.03958.x	2012
Lewis S	BMC Public Health	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: Cross-sectional analyses from The Health Improvement Network (THIN) database	12;329.	2012
Lewis S	BMC Public Health	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records	10;11:291	2011

Lewis S	J Epidemiol Community Health	Can data from primary care medical records be used to monitor national smoking prevalence?	66(9):791-5.	2011
Lewis S	Pharmacoepidemiology and Drug Safety	Risk of falls associated with antihypertensive medication: self-controlled case series	20(8):879-84. doi: 10.1002/pds.2176	2011
Lewis S	Drugs Aging	Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants and the Risk of Falls in Older People: Case-Control and Case-Series Analysis of a Large UK Primary Care Database	28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Lewis S	Drugs Aging	Serotonin-norepinephrine reuptake inhibitor antidepressants and the risk of falls in older people: case-control and case-series analysis of a large UK primary care database.	1;28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Lewis S	Addiction	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England	106(10):1827-34. doi: 10.1111/j.1360-0443.2011.03494.x	2011
Lewis S	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Lewis S	Family Practice	Is smoking status routinely recorded when patients register with a new GP?	27(6):673-5	2010
Lewis S	Age and Ageing	Risk of falls associated with antihypertensive medication: population-based case-control study	39(5):592-7	2010
Lewis S	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Lewis S	The Society for Academic Primary Care (SAPC)	Can national smoking prevalence be monitored using data from primary care medical records?		2009
Lewis S	QJM: An International Journal of Medicine	Incidence and mortality of falls amongst older people in primary care in the United Kingdom	102(7):477-83	2009
Lewis S	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
Lewis S	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Lewis S	Addiction	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care	May 102(5):803-8	2007
Lewis S	Tobacco Control	Use of nicotine replacement therapy and the risk of acute myocardial infarction, stroke and death	14(6): 416-421	2005
Lewis SA	BMC Public Health	Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data	7;11:773	2011
Lewis SA	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Lewis SA	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007

Lewis SA	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Lewis SA	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
Li J	25th Intl Conference on Pharmacoepidemiology & Therapeutic Risk Management. August 16-19, 2009, Providence, RI.	Longitudinal Assessment of Smoking in The Health Improvement Network (THIN) Database		2009
Lin KJ	Circulation	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications	123: 1047-1048	2011
Lindblad M	Pancreatology	Use of angiotensin II receptor blockers and the risk of acute pancreatitis: a nested case-control study.	9(6):786-92	2009
Ljungqvist O	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Lliffe S	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Lloyd D	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Lloyd D	The Health and Social Care Information Centre	Prescribing compliance: a review of the proportion of prescriptions dispensed	Report [www.ic.nhs.uk/pubs/pre-sccompliance]	2011
Lo Re V	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Lo Re V	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Localio AR	Pharmacoepidemiology and Drug Safety	Adverse Events Associated with Antibiotic Use	(19): S1-S347	2010
Localio AR	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Loftus J	Eur J Ophthalmol	Topical prostaglandin fixed combinations in UK primary care: observational study using data from the health improvement network	doi: 10.5301/ejo.5000068	2011
Loftus J	Congress of the European Glaucoma Society, Madrid, Spain	Use of Topical Prostaglandin Fixed Combination in the UK Primary Care: An Observational Study in The Health Improvement Network (THIN) Database		2010
Longman AJ	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010

Longman AJ	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
Longman AJ	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009
LoRe V	Pharmacoepidemiology and Drug Safety	Risk of Myocardial Infarction in UK Primary Care Patients with Hepatitis C Virus Infection	(19): S1-S347	2010
LoRe V	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Love JT	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Love T	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Luise C	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Luise C	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Luise C	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Lundborg P	Scandinavian Journal of Gastroenterology	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis.	45(7-8):814-21.	2010
Lundborg P	Scandinavian Journal of Gastroenterology	Gastroesophageal reflux disease in children and adolescents in primary care	45(2):139-46	2010
MacDonald T	Pharmacoepidemiology and Drug Safety	Influenza and pneumococcal vaccination protect against all cause mortality in patients with chronic obstructive pulmonary diseases	17: S194	2008
MacDonald T	Poster presented at the 16th ERS Annual Congress in Munich 2006	Determinants of long acting bronchodilator adherence in UK COPD patients		2006
MacDonald TM	Thorax	Influenza but not pneumococcal vaccination protects against all-cause mortality in patients with COPD	64(7):567-72	2009
MacDonald TM	British Journal of Clinical Pharmacology	Prevalence and treatment of isolated and concurrent hypertension and hypercholesterolaemia in the United Kingdom	65:5 (775–786)	2008
MacLachlan S	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Macleod J	Annual Research Conference - West Midlands Deanery, Department of Primary Care & General Practice, The University of Birmingham 2007	The prescribing of statins and mortality following a diagnosis of heart failure	May	2007
Macleod JA	Annals of Medicine (informa healthcare)	Statins in heart failure: Retrospective cohort study using routine primary care data	11:1-7	2009

Maguire A	Diabetic Medicine	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care	29(8): e191-e198.	2012
Maguire A	Current Medical Research & Opinion	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study	Vol. 26, No. 4, 2010, 861–870	2010
Maguire A	UK National Smoking Cessation Conference (UKNSCC) June, Glasgow	Evaluation of varenicline as an aid to smoking cessation in UK general practice – a THIN database study		2010
Maguire A	Pharmacoepidemiology and Drug Safety	Parameterizing Risk-Benefit Models from Primary Care Data: Recurrence and Exacerbation	(19): S1-S347	2010
Maguire A	Value in Health	Can the relationship between age and cholesterol levels indicate effectiveness of lipid lowering therapy in primary care? France, Germany, Italy and UK	12(3):A142-A143	2009
Maguire A	Value in Health	The application of discrete even simulation to quantitative risk benefit analysis	12(7):A453	2009
Maguire A	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting for research using automated data from primary care	18: 76–83	2009
Maguire A	Pharmacoepidemiology and Drug Safety	Influence of affluence: The impact of social deprivation on mortality rates in THIN, a UK primary care database	17: S252	2008
Maguire A	Pharmacoepidemiology and Drug Safety	One question, several countries: understanding health systems and standardising recording habits in primary care databases in France, Germany, Italy and the UK	17: S279	2008
Maguire A	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting in automated patient databases	17: S250	2008
Maguire A	Pharmacoepidemiology and Drug Safety	Classification of hyperlipidemia from automated primary care data in the UK and France	16:S1-S274 (424)	2007
Maguire A	Pharmacoepidemiology and Drug Safety	Determinants of cholesterol and triglyceride recording in patients treated with lipid lowering therapy in UK primary care	16:S1-S274 (480)	2007
Maguire A	Value in Health	Differences in cholesterol levels between statin and fibrate treated patients in French, Italian, and United Kingdom primary care	Vol. 10(6):A407	2007
Maguire A	Pharmacoepidemiology and Drug Safety	Patterns of cholesterol levels in patients treated with lipid lowering drugs in UK primary care	16:S1-S274 (481)	2007
Maier WC	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Majeed A	Journal of Public Health	Antidepressant prescribing and changes in antidepressant poisoning mortality and suicide in England, 1993–2004	(30); 60 - 68	2008
Majeed A	Public Library of Science (PLOS one)	Statin Induced Myopathy and Myalgia: Time Trend Analysis and Comparison of Risk Associated with Statin Class from 1991–2006	Volume 3, Issue 6 (e2522)	2008
Majumdar SR	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Mamtani R	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012

Man A	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Man A	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Man S	Infectious Disease Research Network	Discontinuation of antiepileptic drugs in pregnancy; a study in The Health Improvement Network (THIN) primary care database	Poster presentation	2012
Man S	Society for Academic Primary Care (SAPC)	Patterns of prescription of antiepileptic drugs in pregnancy, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Man SL	EuroDURG/ISPE - December 2011	Better public health through pharmaco-epidemiology and quality use of medicine	EuroDURG/ISPE - December 2011	2011
Man SL	J Clin Psychiatry	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network.	72(7):979-85	2011
Man SL	Abstract, The Society For Academic Primary Care,	Antidepressant prescribing during pregnancy	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Maneno MK	25th Intl Conference on Pharmacoepidemiology & Therapeutic Risk Management. August 16-19, 2009, Providence, RI.	Longitudinal Assessment of Smoking in The Health Improvement Network (THIN) Database		2009
Mant J	Annals of Medicine (informa healthcare)	Statins in heart failure: Retrospective cohort study using routine primary care data	11:1-7	2009
Mant J	Annual Research Conference - West Midlands Deanery, Department of Primary Care & General Practice, The University of Birmingham 2007	The prescribing of statins and mortality following a diagnosis of heart failure	May	2007
Mardekian J	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Marfatia A	25th Intl Conference on Pharmacoepidemiology & Therapeutic Risk Management. August 16-19, 2009, Providence, RI.	Longitudinal Assessment of Smoking in The Health Improvement Network (THIN) Database		2009
Margolis D	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Margolis D	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Margolis D	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010

Margolis DJ	The American Journal of Gastroenterology	Potential Association Between the Oral Tetracycline Class of Antimicrobials Used to Treat Acne and Inflammatory Bowel Disease.	105(12):2610-6	2010
Margolis DJ	Pharmacoepidemiology and Drug Safety	Association between serious ischemic cardiac outcomes and medications used to treat diabetes	Volume 17 Issue 8, Pages 753 - 759	2008
Margulis A	Pharmacoepidemiology and Drug Safety	Positive predictive value of computerised medical records for uncomplicated upper gastrointestinal ulcer	17: S126	2008
Marshall S	Pharmacoepidemiology and Drug Safety	Prescription Patterns among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK)	(19): S1-S347	2010
Marshall S	Pharmacoepidemiology and Drug Safety	Stimulant Prescription and Risk of Injury among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK): Preliminary Results	(19): S1-S347	2010
Marshall SW	British Medical Journal (BMJ)	Early head injury and attention deficit hyperactivity disorder: retrospective cohort study	337: a1984	2008
Marshall T	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Marshall T	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Marshall T	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case-control study using electronic primary care records	98(2), 323 – 327	2008
Marshall T	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Marshall TP	Journal of Human Hypertension	Variation in recorded blood pressure terminal digit bias in general practice	22(3):163-7	2008
Marston L	Pharmacoepidemiology and Drug Safety	Missing data in primary care databses; problems and a possible solution	(19): S1-S347	2010
Marston L	Pharmacoepidemiology and Drug Safety	SSRI and Risk of Congenital Cardiac Abnormalities	(19): S1-S347	2010
Martín-Merino E	Diabetes Care	Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database	35(4):762-7.	2012
Martín-Merino E	Alimentary Pharmacology & Therapeutics	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease.	31(10):1132-40	2010
Martín-Merino E	Pharmacoepidemiology and Drug Safety	Incidence of Diabetic Retinopathy and Diabetic Macular Edema in Newly Diagnosed Type 1 and Type 2 Diabetic Patients	(19): S1-S347	2010
Martín-Merino E	Prim Care Companion J Clin Psychiatry	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns.	12(1):PCC.08m00764.	2010
Martín-Merino E	Pharmacoepidemiology and Drug Safety	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN)	19(6):579-585	2010
Martín-Merino E	BMJ	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care.	343:d4094. doi: 10.1136/bmj.d4094	2011
Massó González EL	Alimentary Pharmacology & Therapeutics	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005	30(10):1039-48	2009

Massó González EL	Alimentary Pharmacology & Therapeutics	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005	30(10):1039-48	2009
Massó González EL	Alimentary Pharmacology & Therapeutics	Proton pump inhibitors reduce the long-term risk of recurrent upper gastrointestinal bleeding: an observational study	28(5):629-37	2008
Masud T	Calcified Tissue International	Risk of upper gastrointestinal tract events in risedronate users switched to alendronate.	87(4):298-304	2010
May C	Drug Safety	Comparative Safety of Long-Acting Inhaled Bronchodilators	30 (12): 1151-1160	2007
May C	Pharmacoepidemiology and Drug Safety	Comparative safety of long-acting bronchodilators	15: (S1):S75	2006
May C	Pharmacoepidemiology and Drug Safety	Patterns of discontinuation, Dose modification and switching among users of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) including Cyclo-Oxygenase 2 Inhibitors (COX-2) in the UK population	14: S1: (003)	2005
Mayhew L	Cass Business School (City University)	The chronic disease burden - An analysis of health risks and health care usage	ISBN 1 - 901615-87-1	2005
Mazzaglia G	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Mazzaglia G	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Mazzaglia G	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Mazzaglia G	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
McBride D	British Medical Journal (BMJ)	Explaining variation in referral from primary to secondary care: cohort study	BMJ 2010; 341:c6267	2010
McCarthy S	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
McCarthy S	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
McEwan P	International Journal of Clinical Practice	A comparison of intermediate and long-acting insulins in people with type 2 diabetes starting insulin: an observational database study.	64(12):1609-18	2010
McEwan P	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010
McEwan P	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
McEwan P	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009

McEwan P	Current Medical Research & Opinion	The outcome of care in people with type 1 and type 2 diabetes following switching to treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	23 (1): 33-9	2007
McEwan P	Current Medical Research & Opinion	The prescription cost of managing people with type 1 and type 2 diabetes following initiation of treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	(8) 41-48	2007
McKeever T	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
McKeever T	BMC Cancer	The incidence of and mortality from leukaemias in the UK: a general population-based study	26;9(1):252	2009
McKeever TM	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
McKeever TM	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
McKeever TM	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
McKeever TM	Epidemiology and Infection	The incidence of pneumonia using data from a computerized general practice database	137(5):709-16	2009
McKeever TM	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
McKeever TM	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
McKeever TM	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
McKeever TM	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
McKeigue P	Public Library of Science (PLOS one)	Statin Induced Myopathy and Myalgia: Time Trend Analysis and Comparison of Risk Associated with Statin Class from 1991–2006	Volume 3, Issue 6 (e2522)	2008
McMahon	Pharmacoepidemiology and Drug Safety	Macrovascular and microvascular outcomes after beginning of insulin versus additional oral glucose-lowering therapy in people with type 2 diabetes: an observational study	21(3):305-13. doi: 10.1002/pds.2345.	2012
McMahon A	Value in Health	Duration of first insulin therapy in previously uncontrolled type 2 diabetes: comparison of insulins glargine, detemir and NPH and association with glycemic control	2010;13(7):A298	2010
McMahon A	Pharmacoepidemiology and Drug Safety	The association of weight change with depression	16:S1-S220 (464)	2007
McMahon AD	Diabetes Research and Clinical Practice	A comparison of duration of first prescribed insulin therapy in uncontrolled type 2 diabetes	2011;94(3):442-48	2011
McMahon AD	International Journal of Clinical Practice	Changes and predictors for change to thiazolidinedione prescribing in UK primary care following the rosiglitazone safety warning	65(5):586-91	2011

McMahon AD	Pharmacoepidemiology and Drug Safety	Comparative study of modified release alpha-blocker exposure in elderly patients with fractures	16(8):901-907	2007
McManus RJ	Annals of Medicine (informa healthcare)	Statins in heart failure: Retrospective cohort study using routine primary care data	11:1-7	2009
McManus RJ	Annual Research Conference - West Midlands Deanery, Department of Primary Care & General Practice, The University of Birmingham 2007	The prescribing of statins and mortality following a diagnosis of heart failure	May	2007
McNeil A	The Society for Academic Primary Care (SAPC)	Can national smoking prevalence be monitored using data from primary care medical records?		2009
McNeill A	Addiction	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England	107(7):1341-8	2012
McNeill A	Addiction	The impact of media campaigns on smoking cessation activity: A structural vector autoregression analysis	doi: 10.1111/j.1360-0443.2012.03958.x	2012
McNeill A	BMC Public Health	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records	10;11:291	2011
McNeill A	J Epidemiol Community Health	Can data from primary care medical records be used to monitor national smoking prevalence?	66(9):791-5.	2011
McNeill A	Addiction	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England	106(10):1827-34. doi: 10.1111/j.1360-0443.2011.03494.x	2011
McNeill A	Family Practice	Is smoking status routinely recorded when patients register with a new GP?	27(6):673-5	2010
McNeill A	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
McQuay HJ	BMC Family Practice	Primary care incidence and treatment of four neuropathic pain conditions: a descriptive study, 2002-2005.	0.393055556	2008
McQuay L	Annual meeting of the American Diabetes Association (Washington) 2006	Population-Based Study of Time to Insulin After Failure of Oral Antidiabetic (OA) Therapy in Type 2 Diabetes (T2DM) in the UK		2006
McQuay L	Pharmacoepidemiology and Drug Safety	Time to insulin after failure of oral antidiabetic therapy in type 2 diabetes: A UK population-based analysis	15: (S1):S51	2006
McQuay LJ	Diabetic Medicine	Delayed initiation of subcutaneous insulin therapy after failure of oral glucose-lowering agents in patients with Type 2 diabetes: a population-based analysis in the UK	24(12):1412-8	2007
Meal A	Quality in primary care journal	Validation of THIN data for non-melanoma skin cancer	16(1):49-52	2008
Meal A	International Journal of Cancer	Trends in incidence of skin basal cell carcinom: Additional evidence from a UK primary care database study	Nov 1 121(9):2105-8	2007

Meeraus W	Society for Academic Primary Care (SAPC)	Primary -care databases: An alternative to disease registers for population-based research into cerebral palsy in the UK	SAPC Bristol 6-8 July 2011	2011
Menon S	Digestive Disease Week conference in San Diego	How commonly is gastric cancer missed at endoscopy (a UK primary care based study) ?	Presentation	2012
Mernagh P	Poster presented at the RCGP Annual National Primary Care Conference, Glasgow, Scotland, November 2009	Cost of Managing Neuropathic Pain with Pregabalin and Gabapentin: A UK Study		2009
Meropol S	Pharmacoepidemiology and Drug Safety	Adverse Events Associated with Antibiotic Use	(19): S1-S347	2010
Meropol S	Pharmacoepidemiology and Drug Safety	Validating Pneumonia Hospitalizations in the THIN Database	(19): S1-S347	2010
Meropol S	Pharmacoepidemiology and Drug Safety	Adverse events associated with pediatric antibiotic use	17: S273	2008
Meropol S	Pharmacoepidemiology and Drug Safety	Antibiotics for upper respiratory infections	17: S209-S210	2008
Meropol SB	Pharmacoepidemiology and Drug Safety	Accuracy of pneumonia hospital admissions in a primary care electronic medical record database	doi: 10.1002/pds.3207	2012
Meropol SB	British Journal of General Practice	Reduced antibiotic prescribing for acute respiratory infections in adults and children.	59(567):e321-8.	2009
Metcalfe C	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Metcalfe C	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Metcalfe M	Current Medical Research & Opinion	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study	Vol. 26, No. 4, 2010, 861-870	2010
Metcalfe M	UK National Smoking Cessation Conference (UKNSCC) June, Glasgow	Evaluation of varenicline as an aid to smoking cessation in UK general practice – a THIN database study		2010
Metlay J	Pharmacoepidemiology and Drug Safety	Validating Pneumonia Hospitalizations in the THIN Database	(19): S1-S347	2010
Metlay J	Pharmacoepidemiology and Drug Safety	Adverse events associated with pediatric antibiotic use	17: S273	2008
Metlay J	Pharmacoepidemiology and Drug Safety	Antibiotics for upper respiratory infections	17: S209-S210	2008
Metlay JP	Pharmacoepidemiology and Drug Safety	Accuracy of pneumonia hospital admissions in a primary care electronic medical record database	doi: 10.1002/pds.3207	2012
Metlay JP	Pharmacoepidemiology and Drug Safety	Adverse Events Associated with Antibiotic Use	(19): S1-S347	2010

Metlay JP	British Journal of General Practice	Reduced antibiotic prescribing for acute respiratory infections in adults and children.	59(567):e321-8.	2009
Miday R	Osteoporosis International	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK	(4):569-77	2010
Mines D	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Ming EE	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Mokhles M	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Mokhles M	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Mokhles M	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Mokhles MM	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Molokhia M	Public Library of Science (PLoS one)	Statin Induced Myopathy and Myalgia: Time Trend Analysis and Comparison of Risk Associated with Statin Class from 1991–2006	Volume 3, Issue 6 (e2522)	2008
Moody S	Cass Business School (City University)	The chronic disease burden - An analysis of health risks and health care usage	ISBN 1 - 901615-87-1	2005
Morant	International Journal of Clinical Practice	Master of nothing but knower of all	May 2008, 62 (5), pages667–676	2008
Morant S	The Journal of Sexual Medicine	Increased Sexual Dysfunction in Men with Storage and Voiding Lower Urinary Tract Symptoms	6:1103–1110	2009
Morant S	Thorax	Influenza but not pneumococcal vaccination protects against all-cause mortality in patients with COPD	64(7):567-72	2009
Morant S	23rd Annual European Association of Urology Congress. Milan, Italy	Increased Sexual Dysfunction in Women With LUTS, Including OAB, in a UK General Practice Setting: Analyses From the THIN Database	March 26–29, 2008	2008
Morant S	Pharmacoepidemiology and Drug Safety	Influenza and pneumococcal vaccination protect against all cause mortality in patients with chronic obstructive pulmonary diseases	17: S194	2008
Morant S	Primary Care Cardiovascular Journal	Measurement of baseline total cholesterol: new data from The Health Improvement Network (THIN) database	v1, (2) 107-111	2008
Morant S	36th Annual Meeting of the International Continence Society 2006	Diagnosis and Treatment of Lower Urinary Tract Symptoms, Overactive Bladder, and Benign Prostatic Hyperplasia in Men in UK General Practice		2006
Morant S	The Journal of Sexual Medicine	Factors That Predict Switching Phosphodiesterase Type 5 Inhibitor Medication in the United Kingdom	Vol 3 Issue s3:199	2006

Morant S	8th Congress of the European Society for Sexual Medicine - Copenhagen, Denmark 2005	Factors that predict switching Phosphodiesterase type 5 Inhibitor medication in the United Kingdom		2005
Morant SV	International Journal of Clinical Practice	Diagnosis and treatment of lower urinary tract symptoms suggestive of overactive bladder and bladder outlet obstruction among men in general practice in the UK	May 2008, 62, 5, 688–694	2008
Morant SV	British Journal of Clinical Pharmacology	Prevalence and treatment of isolated and concurrent hypertension and hypercholesterolaemia in the United Kingdom	65:5 (775–786)	2008
Morant SV	British Journal of Urology	Factors that predict changing the type of phosphodiesterase type 5 inhibitor medication among men in the UK	99(4):860-3	2007
Morant SV	Poster presented at the 16th ERS Annual Congress in Munich 2006	Determinants of long acting bronchodilator adherence in UK COPD patients		2006
Morgan O	Journal of Public Health	Antidepressant prescribing and changes in antidepressant poisoning mortality and suicide in England, 1993–2004	(30); 60 - 68	2008
Morris R	Pharmacoepidemiology and Drug Safety	Missing data in primary care databases; problems and a possible solution	(19): S1-S347	2010
Morris R	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Morris R	Cass Business School (City University)	The chronic disease burden - An analysis of health risks and health care usage	ISBN 1 - 901615-87-1	2005
Morris RW	J Epidemiol Community Health	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study.	65(9):770-4	2010
Mortimer K	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Motsko S	Pharmacoepidemiology and Drug Safety	Risk of chronic end stage renal disease after use of ACE inhibitors compared to other antihypertensives or no-antihypertensive use in a cohort of diabetic patients in the United Kingdom	17: S233	2008
Mugelli A	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Mugelli A	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Mugelli A	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Mugelli N	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Mugelli N	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Mullins CD	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009

Mullins CD	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Mullins CD	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Munson J	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Munson J	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Munson JC	Pharmacoepidemiology and Drug Safety	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis.	19(7):756-62.	2010
Murray ML	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Murray ML	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Murugesan S	Pharmacoepidemiology and Drug Safety	Lessons Learned from Mapping the THIN Database to the Observational Medical Outcome Partnership (OMOP) Common Data Model (CDM)	(19): S1-S347	2010
Myles PR	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
Myles PR	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
Myles PR	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
Myles PR	Epidemiology and Infection	The incidence of pneumonia using data from a computerized general practice database	137(5):709-16	2009
Nagy E	Journal of Medical Economics	Resource implications and budget impact of managing cow milk allergy in the UK	13(1):119-28	2010
Navaratnam V	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
Nazareth I	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Nazareth I	Circulation	Cardiovascular Events as a Function of Serum Bilirubin Levels in a Large Statin-Treated Cohort	[ahead of print]	2012
Nazareth I	Infectious Disease Research Network	Discontinuation of antiepileptic drugs in pregnancy; a study in The Health Improvement Network (THIN) primary care database	Poster presentation	2012
Nazareth I	PLoS One	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care	7(8):e41670	2012
Nazareth I	BMJ	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study	345:e4928. doi: 10.1136/bmj.e4928.	2012
Nazareth I	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom	ahead of print	2012
Nazareth I	Am J Psychiatry	Suicidal behavior and severe neuropsychiatric disorders following glucocorticoid therapy in primary care	169(5):491-7.	2012

Nazareth I	PLoS One	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN).	7(3):e33181.	2012
Nazareth I	Rev Med Interne	Description of oral glucocorticoid prescriptions in general population	32(10):594-9	2011
Nazareth I	Pharmacoepidemiology and Drug Safety	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom	doi: 10.1002/pds.2213	2011
Nazareth I	Society for Academic Primary Care (SAPC)	Patterns of prescription of antiepileptic drugs in pregnancy, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Nazareth I	Society for Academic Primary Care (SAPC)	Pregnancy and prescribed psychotropic medicine	SAPC Bristol 6-8 July 2011	2011
Nazareth I	J Clin Psychiatry	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network.	72(7):979-85	2011
Nazareth I	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Nazareth I	Rheumatology (Oxford)	Prevalence of long-term oral glucocorticoid prescriptions in UK over the past 20 years.	50(11):1982-90	2011
Nazareth I	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Nazareth I	Pharmacoepidemiology and Drug Safety	Descriptive analysis of antipsychotic prescriptions in primary care	(19): S1-S347	2010
Nazareth I	Archives of Pediatrics & Adolescent Medicine	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database.	164(11):1038-44	2010
Nazareth I	Pharmacoepidemiology and Drug Safety	Missing data in primary care databases; problems and a possible solution	(19): S1-S347	2010
Nazareth I	Journal of Antimicrobial Chemotherapy	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study.	65(10):2238-46	2010
Nazareth I	Pharmacoepidemiology and Drug Safety	Oral Antibiotic Prescribing in Pregnancy in United Kingdom	(19): S1-S347	2010
Nazareth I	Pharmacoepidemiology and Drug Safety	SSRI and Risk of Congenital Cardiac Abnormalities	(19): S1-S347	2010
Nazareth I	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010
Nazareth I	The Society for Academic Primary Care (SAPC)	Antibiotic prescribing during pregnancy in primary care		2009
Nazareth I	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009
Nazareth I	Abstract, The Society For Academic Primary Care,	Antidepressant prescribing during pregnancy	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008

Nazareth I	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Nazareth I	Abstract, The Society For Academic Primary Care,	Using Primary care databases to assess incidence rates of parental depression	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Nazareth I	Infectious Disease Research Network	Trends in antidepressant prescribing in children in the United Kingdom, a study in The Health Improvement Network (THIN)	Poster presentation	2012
Nazareth I	Society for Academic Primary Care (SAPC)	Trends in the incidence of childhood depression in the UK, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Nicotra F	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Nicotra F	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Nicotra F	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Nieshoff E	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
O'Regan C	Primary Care Cardiovascular Journal	Measurement of baseline total cholesterol: new data from The Health Improvement Network (THIN) database	v1, (2) 107-111	2008
Ogdie A	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Ogdie A	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Oliveria SA	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861–872	2006
Oliveria SA	Pharmacoepidemiology and Drug Safety	Use of prescription Cyclo-Oxygenase 2 inhibitors (COX-2) and Non COX-2 Non-Steroidal Anti-Inflammatory Drugs (NSAID) in a UK population	14: S141: (283)	2005
Oliveria SA	Pharmacoepidemiology and Drug Safety	Use of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) Including Cyclo-Oxygenase 2 Inhibitors (COX-2) in a UK Population and a US Population	14: S190: (382)	2005
Ong S	Primary Care Cardiovascular Journal	Measurement of baseline total cholesterol: new data from The Health Improvement Network (THIN) database	v1, (2) 107-111	2008
Oppenheimer L	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Oppenheimer L	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Orton E	PLoS One	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data.	2012;7(4):e35193.	2012

Orton E	Society for Academic Primary Care (SAPC)	Identification pre-school children at risk of poisoning injury using routinely recorded primary care data	SAPC Bristol 6-8 July 2011	2011
Osborn D	Pharmacoepidemiology and Drug Safety	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom	doi: 10.1002/pds.2213	2011
Osborn D	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Osborn D	Pharmacoepidemiology and Drug Safety	Descriptive analysis of antipsychotic prescriptions in primary care	(19): S1-S347	2010
Osborn DP	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Oster G	Pain Pract	Use of pregabalin in patients with painful neuropathic disorders under the care of general practitioners in the U.K	9(1):18-34	2008
Osterman MT	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Owen V	Diabetes Obes Metab	Predictors of responders to insulin therapy at 1 year among adults with type 2 diabetes	12(10):865-70. doi: 10.1111/j.1463-1326.2010.01239.x	2010
Owens DR	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010
Page M	The National Institute of Clinical Excellence (NICE) conference. Birmingham, UK 2006	Has the Quality and Outcomes Framework (QOF) Scheme Impacted upon General Practitioners' (GPs) Clinical Practice?	Poster presentation	2006
Page M	Annual Scientific Meeting, "Moving from policy to reality-How was it for you?"	Feasibility Study and Methodology to Establish a System to Improve Recording of Quality Indicators in Primary Care Data		2004
Panaccione R	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Panca M	Pediatr Allergy Immunol	Cost-effectiveness of using an extensively hydrolysed formula compared to an amino acid formula as first-line treatment for cow milk allergy in the UK	23(3):240-9. doi: 10.1111/j.1399-3038.2011.01262.x	2012
Panca M	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Patrignani P	Journal of the American College of Cardiology	Role of dose potency in the prediction of risk of myocardial infarction associated with nonsteroidal anti-inflammatory drugs in the general population	52(20):1628-36	2008
Peloquin C	Am J Med	Impact of Age, Sex, Obesity, and Steroid Use on Quinolone-associated Tendon Disorders	[Ahead of print]	2012
Peloquin C	Arthritis Care Res (Hoboken)	Secular trend of adhesive capsulitis	63(11):1571-5. doi: 10.1002/acr.20590	2011

Peloquin P	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Pereira S	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Perreira S	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Peters JR	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
Peters JR	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009
Peters TJ	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Peters TJ	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Peters TJ	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case–control study using electronic primary care records	98(2), 323 – 327	2008
Peters TJ	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Petersen I	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
Petersen I	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Petersen I	Circulation	Cardiovascular Events as a Function of Serum Bilirubin Levels in a Large Statin-Treated Cohort	[ahead of print]	2012
Petersen I	Pharmacoepidemiology and Drug Safety	Identifying periods of acceptable computer usage in primary care research databases	[ahead of print]	2012
Petersen I	BMJ	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study	345:e4928. doi: 10.1136/bmj.e4928.	2012
Petersen I	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom	ahead of print	2012
Petersen I	Am J Psychiatry	Suicidal behavior and severe neuropsychiatric disorders following glucocorticoid therapy in primary care	169(5):491-7.	2012
Petersen I	Infectious Disease Research Network	Trends in antidepressant prescribing in children in the United Kingdom, a study in The Health Improvement Network (THIN)	Poster presentation	2012
Petersen I	PLoS One	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN).	7(3):e33181.	2012

Petersen I	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
Petersen I	Pharmacoepidemiology and Drug Safety	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom	doi: 10.1002/pds.2213	2011
Petersen I	Society for Academic Primary Care (SAPC)	Patterns of prescription of antiepileptic drugs in pregnancy, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Petersen I	Society for Academic Primary Care (SAPC)	Pregnancy and prescribed psychotropic medicine	SAPC Bristol 6-8 July 2011	2011
Petersen I	J Clin Psychiatry	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network.	72(7):979-85	2011
Petersen I	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Petersen I	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Petersen I	Society for Academic Primary Care (SAPC)	The impact of pneumococcal conjugate vaccination on primary care consultations in the UK	SAPC Bristol 6-8 July 2011	2011
Petersen I	Society for Academic Primary Care (SAPC)	Trends in the incidence of childhood depression in the UK, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Petersen I	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Petersen I	Pharmacoepidemiology and Drug Safety	Descriptive analysis of antipsychotic prescriptions in primary care	(19): S1-S347	2010
Petersen I	Archives of Pediatrics & Adolescent Medicine	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database.	164(11):1038-44	2010
Petersen I	Pharmacoepidemiology and Drug Safety	Missing data in primary care databases; problems and a possible solution	(19): S1-S347	2010
Petersen I	Journal of Antimicrobial Chemotherapy	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study.	65(10):2238-46	2010
Petersen I	Pharmacoepidemiology and Drug Safety	Oral Antibiotic Prescribing in Pregnancy in United Kingdom	(19): S1-S347	2010
Petersen I	Pharmacoepidemiology and Drug Safety	SSRI and Risk of Congenital Cardiac Abnormalities	(19): S1-S347	2010
Petersen I	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010
Petersen I	J Epidemiol Community Health	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study.	65(9):770-4	2010

Petersen I	The Society for Academic Primary Care (SAPC)	Antibiotic prescribing during pregnancy in primary care		2009
Petersen I	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009
Petersen I	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Petersen I	Abstract, The Society For Academic Primary Care,	Antidepressant prescribing during pregnancy	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Petersen I	Abstract, The Society For Academic Primary Care,	Using Primary care databases to assess incidence rates of parental depression	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Petersen I	Infectious Disease Research Network	Discontinuation of antiepileptic drugs in pregnancy; a study in The Health Improvement Network (THIN) primary care database	Poster presentation	2012
Petersen I	Rev Med Interne	Description of oral glucocorticoid prescriptions in general population	32(10):594-9	2011
Petersen I	Rheumatology (Oxford)	Prevalence of long-term oral glucocorticoid prescriptions in UK over the past 20 years.	50(11):1982-90	2011
Petersen I	Society for Academic Primary Care (SAPC)	Primary -care databases: An alternative to disease registers for population-based research into cerebral palsy in the UK	SAPC Bristol 6-8 July 2011	2011
Petersen I	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Pettitt D	Poster presented at the 16th ERS Annual Congress in Munich 2006	Determinants of long acting bronchodilator adherence in UK COPD patients		2006
Phillips B	Primary Care Cardiovascular Journal	Measurement of baseline total cholesterol: new data from The Health Improvement Network (THIN) database	v1, (2) 107-111	2008
Pichard C	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Pierfitte C	ISOP (International Society on Pharmacovigilance) [Istanbul]	From Signal Detection to Evaluation to Action: The experience of Pediaxel® and Apnea	Poster presentation	2011
Pieri F	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Pieri F	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Pinçon A	ISOP (International Society on Pharmacovigilance) [Istanbul]	From Signal Detection to Evaluation to Action: The experience of Pediaxel® and Apnea	Poster presentation	2011
Plana E	Pharmacoepidemiology and Drug Safety	Incidence of Diabetic Retinopathy and Diabetic Macular Edema in Newly Diagnosed Type 1 and Type 2 Diabetic Patients	(19): S1-S347	2010

Plana E	Pharmacoepidemiology and Drug Safety	Lymphoma among patients with atopic dermatitis treated with topical corticosteroids (TCS) and/or topical calcineurin inhibitors (TCIs)	(19): S1-S347	2010
Plotnikov AN	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Pockett RD	International Journal of Clinical Practice	A comparison of intermediate and long-acting insulins in people with type 2 diabetes starting insulin: an observational database study.	64(12):1609-18	2010
Pogson Z	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
Pogson Z	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
Pogson Z	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
Pogson Z	Epidemiology and Infection	The incidence of pneumonia using data from a computerized general practice database	137(5):709-16	2009
Polis HAP	QJM: An International Journal of Medicine	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids	98:191-198	2005
Poole CD	Diabetic Medicine	Estimation of primary care treatment costs and treatment efficacy for people with Type 1 and Type 2 diabetes in the United Kingdom from 1997 to 2007	27(8):938-48.	2010
Poole CD	Rheumatology (Oxford)	An evaluation of the association between C-reactive protein, the change in C-reactive protein over one year, and all-cause mortality in chronic immune-mediated inflammatory disease managed in UK general practice	48 (1): 78-82	2009
Poole CD	Diabetologia	The influence of glucose-lowering therapies on cancer risk in type 2 diabetes	52(9):1766-77	2009
Poole CD	BMC Musculoskeletal Disorders	The association between C-reactive protein and the likelihood of progression to joint replacement in people with rheumatoid arthritis: a retrospective observational study	4;9:146	2008
Poole CD	Current Medical Research & Opinion	The outcome of care in people with type 1 and type 2 diabetes following switching to treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	23 (1): 33-9	2007
Poole CD	Current Medical Research & Opinion	The prescription cost of managing people with type 1 and type 2 diabetes following initiation of treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	(8) 41-48	2007
Potter J	Heart BMJ	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	[ahead of print]	2010
Potter JF	Heart	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	97(6):491-9	2011
Poulter N	Heart BMJ	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	[ahead of print]	2010
Poulter NR	Heart	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	97(6):491-9	2011

Prah P	Pharmacoepidemiology and Drug Safety	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom	doi: 10.1002/pds.2213	2011
Prah P	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Prah P	Pharmacoepidemiology and Drug Safety	Descriptive analysis of antipsychotic prescriptions in primary care	(19): S1-S347	2010
Price D	Poster presented at the 16th ERS Annual Congress in Munich 2006	Determinants of long acting bronchodilator adherence in UK COPD patients		2006
Price J	Pharmacoepidemiology and Drug Safety	An Algorithm for the Diagnosis of Suicide in the THIN Database	(19): S1-S347	2010
Primatesta P	Pharmacoepidemiology and Drug Safety	Frequency and Risk Factors of Gout Flares in a Large Population-Based Cohort of Incident Gout	(19): S1-S347	2010
Pujades-Rodriguez M	QJM: An International Journal of Medicine	Inhaled corticosteroids and the risk of fracture in chronic obstructive pulmonary disease	100(8):509-17	2007
Quinn C	Addiction	The impact of media campaigns on smoking cessation activity: A structural vector autoregression analysis	doi: 10.1111/j.1360-0443.2012.03958.x	2012
Quinn C	Society for Academic Primary Care (SAPC)	Estimating the impact of adherence to allopurinol therapy on the outcomes of gout using The Health Improvement Network (THIN) general practice database	SAPC Bristol 6-8 July 2011	2011
Rabi R	Society for Academic Primary Care (SAPC)	Estimating the impact of adherence to allopurinol therapy on the outcomes of gout using The Health Improvement Network (THIN) general practice database	SAPC Bristol 6-8 July 2011	2011
Rafi I	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012
Rafi I	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
Raine R	British Medical Journal (BMJ)	Explaining variation in referral from primary to secondary care: cohort study	BMJ 2010; 341:c6267	2010
Raine R	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Rait G	PLoS One	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care	7(8):e41670	2012
Rait G	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom	ahead of print	2012
Rait G	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Rait G	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Rait G	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010
Rait G	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009

Rait G	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Ralston SH	Calcified Tissue International	Risk of upper gastrointestinal tract events in risedronate users switched to alendronate.	87(4):298-304	2010
Raman S	Pharmacoepidemiology and Drug Safety	Prescription Patterns among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK)	(19): S1-S347	2010
Raman S	Pharmacoepidemiology and Drug Safety	Stimulant Prescription and Risk of Injury among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK): Preliminary Results	(19): S1-S347	2010
Razzaghi H	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Reddy KR	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Reese PP	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Reese PP	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Reginato AM	Rheumatology (Oxford)	Risk factors for pseudogout in the general population	51(11):2070-4	2012
Reilly K	International Journal of Clinical Practice	Diagnosis and treatment of lower urinary tract symptoms suggestive of overactive bladder and bladder outlet obstruction among men in general practice in the UK	May 2008, 62, 5, 688-694	2008
Reilly K	36th Annual Meeting of the International Continence Society 2006	Diagnosis and Treatment of Lower Urinary Tract Symptoms, Overactive Bladder, and Benign Prostatic Hyperplasia in Men in UK General Practice		2006
Reynolds A	BMC Musculoskelet Disorders	The association between C-reactive protein and the likelihood of progression to joint replacement in people with rheumatoid arthritis: a retrospective observational study	4;9:146	2008
Rhim A	Pharmacoepidemiology and Drug Safety	Maternal Use of Proton Pump Inhibitors (PPI) during Pregnancy Is Associated with an Increased Risk for Cardiac Birth Defects: Analysis of 208,951 Pregnancies from the THIN Database	(19): S1-S347	2010
Rho YH	Rheumatology (Oxford)	Risk factors for pseudogout in the general population	51(11):2070-4	2012
Rho YH	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Rho YH	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Rho YH	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Ridolfi A	Journal of Antimicrobial Chemotherapy	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study.	65(10):2238-46	2010

Ridolfi A	The Society for Academic Primary Care (SAPC)	Antibiotic prescribing during pregnancy in primary care		2009
Rivero E	Diabetes Care	Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database	35(4):762-7.	2012
Rivero E	Pharmacoepidemiology and Drug Safety	Incidence of Diabetic Retinopathy and Diabetic Macular Edema in Newly Diagnosed Type 1 and Type 2 Diabetic Patients	(19): S1-S347	2010
Rivero E	Pharmacoepidemiology and Drug Safety	Lymphoma among patients with atopic dermatitis treated with topical corticosteroids (TCS) and/or topical calcineurin inhibitors (TCIs)	(19): S1-S347	2010
Rivero E	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861–872	2006
Robbins S	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Robbins S	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99–107	2011
Robertson MM	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Robertson MM	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Robins M	Heart BMJ	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	[ahead of print]	2010
Robins MM	Heart	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	97(6):491-9	2011
Robinson M	Informatics in Primary Care	Feasibility Study and Methodology to create a Quality Evaluated Database of Primary Care Data	12(3):171-7	2004
Robson J	Heart	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study	(94): 34-39	2008
Rodrigues L	Thorax BMJ	Prevalence of major comorbidities in subjects with COPD and incidence of myocardial infarction and stroke: a comprehensive analysis using data from primary care	65:956-962 doi:10.1136/thx.2009.128082	2010
Rodriguez L	Pharmacoepidemiology and Drug Safety	Positive predictive value of computerised medical records for uncomplicated upper gastrointestinal ulcer	17: S126	2008
Rodríguez LA	British Medical Journal	Calcium Channel Blockers, Losartan, and the Risk of Incident Gout among Patients with Hypertension: A Population-Based Case-Control Study	344:d8190. doi: 10.1136/bmj.d8190	2012
Rodríguez LA	Journal of Allergy and Clinical Immunology	Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review.	125(5):1098-1104	2010
Rodríguez LA	Scandinavian Journal of Gastroenterology	Gastroesophageal reflux disease in children and adolescents in primary care	45(2):139-46	2010
Rodríguez LA	Annals of the Rheumatic Diseases	Impact of diabetes against the future risk of developing gout	69(12):2090-4	2010
Rodríguez LA	Epidemiology	Acid-suppressive drugs and community-acquired pneumonia.	20(6):800-6.	2009

Rodríguez LA	Journal of Epidemiology & Community Health	Trends in the prevalence and incidence of diabetes in the UK: 1996-2005	63(4):332-6	2009
Rodriguez LAG	Pharmacoepidemiology and Drug Safety	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN)	19(6):579-585	2010
Roskell N	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Roskell N	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99-107	2011
Roskell N	Pharmacoepidemiology and Drug Safety	Risk factors for thiazolidinedione related peripheral edema	17: S118-S119	2008
Ross D	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Ross D	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Ross D	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Ross D	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Ross-Degnan D	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Rothenbacher D	Pharmacoepidemiology and Drug Safety	Frequency and Risk Factors of Gout Flares in a Large Population-Based Cohort of Incident Gout	(19): S1-S347	2010
Rothman K	Pharmacoepidemiology and Drug Safety	Risk factors for thiazolidinedione related peripheral edema	17: S118-S119	2008
Rothman KJ	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861-872	2006
Rothman KJ	Pharmacoepidemiology and Drug Safety	Use of prescription Cyclo-Oxygenase 2 inhibitors (COX-2) and Non COX-2 Non-Steroidal Anti-Inflammatory Drugs (NSAID) in a UK population	14: S141: (283)	2005
Rothman KJ	Pharmacoepidemiology and Drug Safety	Use of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) Including Cyclo-Oxygenase 2 Inhibitors (COX-2) in a UK Population and a US Population	14: S190: (382)	2005
Rowan C	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Rowan CG	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Roy J	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012

Rubino A	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Rubino A	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Rubino A	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Rubino A	Diabetic Medicine	Delayed initiation of subcutaneous insulin therapy after failure of oral glucose-lowering agents in patients with Type 2 diabetes: a population-based analysis in the UK	24(12):1412-8	2007
Rubino A	Annual meeting of the American Diabetes Association (Washington) 2006	Population-Based Study of Time to Insulin After Failure of Oral Antidiabetic (OA) Therapy in Type 2 Diabetes (T2DM) in the UK		2006
Rubino A	Pharmacoepidemiology and Drug Safety	Time to insulin after failure of oral antidiabetic therapy in type 2 diabetes: A UK population-based analysis	15: (S1):S51	2006
Rudolfi A	Pharmacoepidemiology and Drug Safety	Oral Antibiotic Prescribing in Pregnancy in United Kingdom	(19): S1-S347	2010
Ruigómez A	Scand J Gastroenterol.	Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response	47(7):751-61.	2012
Ruigómez A	British Journal of General Practice	Case validation in research using large databases	60(572):160-1	2010
Ruigómez A	Alimentary Pharmacology & Therapeutics	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease.	31(10):1132-40	2010
Ruigómez A	Scandinavian Journal of Gastroenterology	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis.	45(7-8):814-21.	2010
Ruigómez A	Scandinavian Journal of Gastroenterology	Gastroesophageal reflux disease in children and adolescents in primary care	45(2):139-46	2010
Ruigómez A	Aten Primaria	Incidence rate of community acquired pneumonia in a population cohort registered in BIFAP	42(11):543-9	2010
Ruigómez A	Prim Care Companion J Clin Psychiatry	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns.	12(1):PCC.08m00764.	2010
Ruigómez A	Pharmacoepidemiology and Drug Safety	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN)	19(6):579-585	2010
Ruigómez A	Epidemiology	Acid-suppressive drugs and community-acquired pneumonia.	20(6):800-6.	2009
Ryan R	Colorectal Disease	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study	doi: 10.1111/j.1463-1318.2010.02488.x	2010
Ryan R	Annual Research Conference - West Midlands Deanery, Department of Primary Care & General Practice, The University of Birmingham 2007	The prescribing of statins and mortality following a diagnosis of heart failure	May	2007

Ryan RP	Annals of Medicine (informa healthcare)	Statins in heart failure: Retrospective cohort study using routine primary care data	11:1-7	2009
Rycroft C	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Rycroft C	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99-107	2011
Sadosky A	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Sadosky A	Pain Pract	Use of pregabalin in patients with painful neuropathic disorders under the care of general practitioners in the U.K	9(1):18-34	2008
Sadosky AB	Pain Pract	Therapy Switching, Augmentation, and Discontinuation in Patients with Osteoarthritis and Chronic Low Back Pain	12(6):457-68	2012
Sammel M	Pharmacoepidemiology and Drug Safety	Does an increase in serum creatinine after starting ACE inhibitors influence their discontinuation	17: S277	2008
Sands BE	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Sawyer W	Poster presented at the RCGP Annual National Primary Care Conference, Glasgow, Scotland, November 2009	Cost of Managing Neuropathic Pain with Pregabalin and Gabapentin: A UK Study		2009
Schade R	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Schade R	Pharmacoepidemiology and Drug Safety	Prescription trends for dopamine agonists in UK primary care - The influence of safety alerts concerning valvular heart disease	(19): S1-S347	2010
Schade R	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Schade R	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Schembri S	Thorax	Influenza but not pneumococcal vaccination protects against all-cause mortality in patients with COPD	64(7):567-72	2009
Schembri S	Pharmacoepidemiology and Drug Safety	Influenza and pneumococcal vaccination protect against all cause mortality in patients with chronic obstructive pulmonary diseases	17: S194	2008
Schinnar R	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Schinnar R	Pharmacoepidemiology and Drug Safety	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection	18(9):807-14	2009
Schinnar R	Pharmacoepidemiology and Drug Safety	Recording of pancreatic, colorectal and lung cancer incidence in The Health Improvement Network (THIN)	17: S38	2008

Schinnar R	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) database for pharmacoepidemiology research	2007 Apr 16(4):393-401	2007
Schinnar R	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) Database for pharmacoepidemiology research	15: (S1):S233-234	2006
Schlienger R	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Schlienger R	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Schlienger RG	Diabetes Care	Acute pancreatitis in association with type 2 diabetes and anti-diabetic drugs: a population-based cohort study.	33(12):2580-5	2010
Schlienger RG	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Schlienger RG	Pharmacoepidemiology and Drug Safety	Risk of acute pancreatitis in association with type 2 diabetes mellitus	(19): S1-S347	2010
Schlienger RG	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Schnetzler G	Int J Clin Pract	Prevalence and detection rate of underlying disease in men with erectile dysfunction receiving phosphodiesterase type 5 inhibitors in the United Kingdom: a retrospective database study	65(7):797-806	2011
Schrag A	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Schrag A	Neurology	Streptococcal infection, Tourette syndrome, and OCD	(73) 1256-1263	2009
Schwalm MS	Pharmacoepidemiology and Drug Safety	Comparison of Prescribing Patterns for Asthma in Five European Countries	(19): S1-S347	2010
Schwalm MS	Value in Health	Can the relationship between age and cholesterol levels indicate effectiveness of lipid lowering therapy in primary care? France, Germany, Italy and UK	12(3):A142-A143	2009
Schwalm MS	Pharmacoepidemiology and Drug Safety	One question, several countries: understanding health systems and standardising recording habits in primary care databases in France, Germany, Italy and the UK	17: S279	2008
Schwalm MS	Pharmacoepidemiology and Drug Safety	Classification of hyperlipidemia from automated primary care data in the UK and France	16:S1-S274 (424)	2007
Schwalm MS	Value in Health	Differences in cholesterol levels between statin and fibrate treated patients in French, Italian, and United Kingdom primary care	Vol. 10(6):A407	2007
Scotti L	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Scotti L	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Scotti L	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Sedani T	Value in Health	Has the Quality and Outcomes Framework Influenced Primary Care Data Recording?	13 (7);A416	2010

Seetho I	Diabetes Obes Metab	Predictors of responders to insulin therapy at 1 year among adults with type 2 diabetes	12(10):865-70. doi: 10.1111/j.1463-1326.2010.01239.x	2010
Seminara N	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Seminara NM	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Serumaga B	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Serumaga B	Pharmacoepidemiology and Drug Safety	The Impact of Prescribing Guidelines on Physician Selection of Drug Therapy for Newly Diagnosed Patients with Hypertension in the UK	(19): S1-S347	2010
Shah R	Cass Business School (City University)	The chronic disease burden - An analysis of health risks and health care usage	ISBN 1 - 901615-87-1	2005
Shah SM	Journal of the American Medical Directors Association	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales	13:41-7	2012
Shah SM	British Journal of General Practice	Quality of Prescribing in Care Homes and the Community in England and Wales	62, e329-e336	2012
Shah SM	Age Ageing	The impact of dementia on influenza vaccination uptake in community and care home residents	41(1):64-9	2012
Shah SM	International Journal of Geriatric Psychiatry	Antipsychotic prescribing to older people living in care homes and the community in England and Wales	26:423-434	2011
Shah SM	Br J Gen Pract	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework	61:135-8	2011
Shah SM	British Medical Journal (BMJ)	Quality of Chronic Disease Care for Older People in Care Homes and the Community in a Primary Care Pay for Performance System: A Retrospective Study	BMJ.2011 342: d912	2011
Shah SM	Age and Ageing	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database.	39(5):617-23	2010
Shallcross L	Infectious Disease Research Network	A hidden epidemic of impetigo – trends from the THIN database of primary care consultations	Poster presentation	2012
Shannon P	Bone.	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom	51(3):324-31	2012
Shannon P	Journal of Medical Economics	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom	Vol. 14, No. 1, 99–107	2011
Sharp D	BMC Medicine	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study	17;7:17.	2009
Sharp D	Annals of Oncology	Symptomatic colorectal cancer: risk differences across age and between the sexes	Submitted	2008
Sharp D	British Journal of Cancer	The importance of anaemia in diagnosing colorectal cancer: a case–control study using electronic primary care records	98(2), 323 – 327	2008
Sharp D	Abstract, The Society For Academic Primary Care.	Validation of the CAPER score for diagnosis for colorectal cancer and comparison with NICE guidance	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008

Sharplin P	British Journal of Diabetes & Vascular Disease	Insulin usage in type 2 diabetes mellitus patients in UK clinical practice: a retrospective cohort-based analysis using the THIN database	10: 178: DOI: 10.1177/1474651410370659	2010
Sharplin P	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
Sharplin P	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009
Shaya FT	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009
Shaya FT	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Shaya FT	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Sherr L	Archives of Pediatrics & Adolescent Medicine	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database.	164(11):1038-44	2010
Sherr L	Abstract, The Society For Academic Primary Care,	Using Primary care databases to assess incidence rates of parental depression	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008
Shin D	Pharmacoepidemiology and Drug Safety	Validation of Psoriasis and Its Prevalence, Treatment, and Severity in the Health Improvement Network (THIN)	(19): S1-S347	2010
Shin DB	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Shults J	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) database for epidemiologic studies of chronic kidney disease	20(11):1138-49. doi: 10.1002/pds.2203	2011
Shults J	Pharmacoepidemiology and Drug Safety	Validation of the Health Improvement Network (THIN) Database for Epidemiologic Studies of Chronic Kidney Disease	(19): S1-S347	2010
Sillan F	ISOP (International Society on Pharmacovigilance) [Istanbul]	From Signal Detection to Evaluation to Action: The experience of Pediaxel® and Apnea	Poster presentation	2011
Simms RW	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Simoni-Wastila L	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009
Simoni-Wastila L	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Simoni-Wastila L	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Sithole J	Diab Vasc Dis Res	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study	6(1):21-4	2009
Sithole J	Heart	Age threshold for routine aspirin treatment to prevent cardiovascular disease in patients without diabetes	94(11):1429-32	2008

Sithole J	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Siyambalapitiya S	Diab Vasc Dis Res	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study	6(1):21-4	2009
Siyambalapitiya S	Heart	Age threshold for routine aspirin treatment to prevent cardiovascular disease in patients without diabetes	94(11):1429-32	2008
Siyambalapitiya S	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Sjöberg Bexelius T	Pancreatology	Use of angiotensin II receptor blockers and the risk of acute pancreatitis: a nested case-control study.	9(6):786-92	2009
Skinner J	Heart	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	97(6):491-9	2011
Skinner J	Heart BMJ	Performance of the ASSIGN cardiovascular disease risk score on a UK cohort of patients from general practice	[ahead of print]	2010
Sladkevicius E	Pediatr Allergy Immunol	Cost-effectiveness of using an extensively hydrolysed formula compared to an amino acid formula as first-line treatment for cow milk allergy in the UK	23(3):240-9. doi: 10.1111/j.1399-3038.2011.01262.x	2012
Sladkevicius E	Journal of Medical Economics	Resource implications and budget impact of managing cow milk allergy in the UK	13(1):119-28	2010
Smeeth	Pharmacoepidemiology and Drug Safety	A propensity score controlled cohort study to investigate the effects of Statins	16:S1-S274 (474)	2007
Smeeth L	Society for Academic Primary Care (SAPC)	A cohort study to measure the impact of statin therapy on short-term mortality following a pneumonia episode	SAPC Bristol 6-8 July 2011	2011
Smeeth L	BMJ	Effect of statin treatment on short term mortality after pneumonia episode: cohort study	342:d1642. doi: 10.1136/bmj.d1642.	2011
Smeeth L	Pharmacoepidemiology and Drug Safety	A Propensity Score Adjusted Cohort Study To Measure the Impact of Statin Therapy on Short-Term Mortality Following a Pneumonia Episode	(19): S1-S347	2010
Smeeth L	British Journal of Clinical Pharmacology	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials	67 (1): 99-109	2009
Smeeth L	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
Smeeth L	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Smeeth L	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
Smeeth L	Pharmacoepidemiology and Drug Safety	Classification of hyperlipidemia from automated primary care data in the UK and France	16:S1-S274 (424)	2007
Smeeth L	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007

Smeeth L	Pharmacoepidemiology and Drug Safety	Determinants of cholesterol and triglyceride recording in patients treated with lipid lowering therapy in UK primary care	16:S1-S274 (480)	2007
Smeeth L	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Smeeth L	Pharmacoepidemiology and Drug Safety	Patterns of cholesterol levels in patients treated with lipid lowering drugs in UK primary care	16:S1-S274 (481)	2007
Smeeth L	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075-79	2006
Smeeth L	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Smeeth L	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Smeeth L	Tobacco Control	Use of nicotine replacement therapy and the risk of acute myocardial infarction, stroke and death	14(6): 416-421	2005
Smeeth L	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
Smeeth L	European Heart Journal	Contribution of changes in incidence and mortality to trends in the prevalence of coronary heart disease in the UK: 1996 2005	28: 2142-2147	2007
Smith C	Prim Care Respir J	BMI and obstructive sleep apnoea in the UK: a crosssectional study of the over-50s	10.4104/pcrj.2012.00053	2012
Smith C	Pharmacoepidemiology and Drug Safety	Risk of falls associated with antihypertensive medication: self-controlled case series	20(8):879-84. doi: 10.1002/pds.2176	2011
Smith C	Drugs Aging	Serotonin-Norepinephrine Reuptake Inhibitor Antidepressants and the Risk of Falls in Older People: Case-Control and Case-Series Analysis of a Large UK Primary Care Database	28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Smith C	Drugs Aging	Serotonin-norepinephrine reuptake inhibitor antidepressants and the risk of falls in older people: case-control and case-series analysis of a large UK primary care database.	1;28(11):895-902. doi: 10.2165/11592860-000000000-00000	2011
Smith C	Age and Ageing	Risk of falls associated with antihypertensive medication: population-based case-control study	39(5):592-7	2010
Smith C	QJM: An International Journal of Medicine	Incidence and mortality of falls amongst older people in primary care in the United Kingdom	102(7):477-83	2009
Smith C	Pharmacoepidemiology and Drug Safety	NSAID use and risk of leukaemia: a population-based case-control study	18(9):833-6	2009
Smith C	Respiratory Medicine	Role of diabetes mellitus and gastro-oesophageal reflux in the aetiology of idiopathic pulmonary fibrosis	103(6):927-31	2009

Smith C	BMC Cancer	The incidence of and mortality from leukaemias in the UK: a general population-based study	26;9(1):252	2009
Smith C	American Journal of Respiratory and Critical Care Medicine	The association between idiopathic pulmonary fibrosis and vascular disease: a population-based study	178(12):1257-61	2008
Smith C	Quality in primary care journal	Validation of THIN data for non-melanoma skin cancer	16(1):49-52	2008
Smith C	Addiction	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care	May 102(5):803-8	2007
Smith C	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007
Smith C	International Journal of Cancer	Trends in incidence of skin basal cell carcinom: Additional evidence from a UK primary care database study	Nov 1 121(9):2105-8	2007
Smith C	QJM: An International Journal of Medicine	Extrinsic Allergic Alveolitis: Incidence and mortality in the general population	Apr 100(4):233-7	2007
Smith CJ	Respir Med	Does the presence of connective tissue disease modify survival in patients with pulmonary fibrosis?	Volume 105, Issue 12, Pages 1725-1930	2011
Smith CJ	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Smith CJ	Thorax BMJ	Prevalence of major comorbidities in subjects with COPD and incidence of myocardial infarction and stroke: a comprehensive analysis using data from primary care	65:956-962 doi:10.1136/thx.2009.128082	2010
Smith CJ	Chest	Increased risk of Myocardial Infarction and Stroke following Exacerbation of Chronic Obstructive Pulmonary Disease	137(5):1091-7	2009
Smith CJ	European Journal of Public Health	Pneumonia mortality in a UK general practice population cohort	19(5):521-6	2009
Smith CJ	Pharmacoepidemiology and Drug Safety	Risk of community-acquired pneumonia and the use of statins, ace inhibitors and gastric acid suppressants: a population-based case-control study	18(4):269-75	2009
Smith CJ	Pharmacoepidemiology and Drug Safety	The impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohort	18(8):697-703	2009
Smith CJ	Epidemiology and Infection	The incidence of pneumonia using data from a computerized general practice database	137(5):709-16	2009
Smith CJ	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Smith CJ	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
Smith CJ	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Smith CJ	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007

Smith CJ	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Smith CJ	QJM: An International Journal of Medicine	Inhaled corticosteroids and the risk of fracture in chronic obstructive pulmonary disease	100(8):509-17	2007
Smith CJP	QJM: An International Journal of Medicine	The impact of the 2004 NICE guideline and 2003 General Medical Services contract on COPD in primary care in the UK	101(2):145-153	2008
Smith CJP	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Smith CJP	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
Smith CJP	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
Smith CJP	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Smith CJP	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
Smith CJP	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Smith CJP	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
Smith HT	Diabetic Medicine	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care	29(8): e191-e198.	2012
Smith HT	Diabet Med	Optimization of insulin therapy in patients with Type 2 diabetes mellitus: beyond basal insulin	29(7):e13-20. doi: 10.1111/j.1464-5491.2012.03586.x	2012
Smith HT	International Journal of Clinical Practice	Changes and predictors for change to thiazolidinedione prescribing in UK primary care following the rosiglitazone safety warning	65(5):586-91	2011
Smith HT	Value in Health	"The "who, how and then what..." of insulin initiation in UK primary care"	12(7):A412	2009
Soest E	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Soest E	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Soest E	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Solaymani-Dodaran M	QJM: An International Journal of Medicine	Extrinsic Allergic Alveolitis: Incidence and mortality in the general population	Apr 100(4):233-7	2007
Song S	QJM: An International Journal of Medicine	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes	103(11):881-4	2010

Song S	Diabetes Care	Combining Population Health and Baseline Risk Strategy by Determining an Age Cutoff for Initiating Statins in Patients With Diabetes	30:2025-2029	2007
Soriano L	Pharmacoepidemiology and Drug Safety	Frequency and Risk Factors of Gout Flares in a Large Population-Based Cohort of Incident Gout	(19): S1-S347	2010
Soriano LC	British Medical Journal	Calcium Channel Blockers, Losartan, and the Risk of Incident Gout among Patients with Hypertension: A Population-Based Case-Control Study	344:d8190. doi: 10.1136/bmj.d8190	2012
Soriano LC	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Soriano LC	Annals of the Rheumatic Diseases	Impact of diabetes against the future risk of developing gout	69(12):2090-4	2010
Soumerai SB	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Sparks E	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Spencer M	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Sridharan S	QJM: An International Journal of Medicine	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes	103(11):881-4	2010
Steinbuch M	Calcified Tissue International	Risk of upper gastrointestinal tract events in risedronate users switched to alendronate.	87(4):298-304	2010
Steinbuch M	Osteoporosis International	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK	(4):569-77	2010
Sterne J	Society for Academic Primary Care (SAPC)	The impact of pneumococcal conjugate vaccination on primary care consultations in the UK	SAPC Bristol 6-8 July 2011	2011
Stevenson R	Osteoporosis International	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK	(4):569-77	2010
Stratton RJ	An International Journal of Gastroenterology and Hepatology - BMJ	OC-038 Healthcare use according to body mass index (BMI) category in individuals registered to GP practices	61:A16-A17.	2012
Strom B	Pharmacoepidemiology and Drug Safety	Recording of pancreatic, colorectal and lung cancer incidence in The Health Improvement Network (THIN)	17: S38	2008
Strom BL	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Strom BL	Pharmacoepidemiology and Drug Safety	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network	21(5):494-506. doi: 10.1002/pds.3199.	2012
Strom BL	BMJ Open	Observational cohort study of the safety of digoxin use in women with heart failure	13;2(2):e000888.	2012
Strom BL	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012

Strom BL	Pharmacoepidemiology and Drug Safety	Temporal and within practice variability in the health improvement network	20(9):948-55. doi: 10.1002/pds.2191	2011
Strom BL	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Strom BL	Pharmacoepidemiology and Drug Safety	Association between serious ischemic cardiac outcomes and medications used to treat diabetes	Volume 17 Issue 8, Pages 753 - 759	2008
Strom BL	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) database for pharmacoepidemiology research	2007 Apr 16(4):393-401	2007
Strom BL	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) Database for pharmacoepidemiology research	15: (S1):S233-234	2006
Sturkenboom M	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Sturkenboom M	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Sturkenboom M	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Sturkenboom MC	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Sturkenboom MC	Pharmacoepidemiology and Drug Safety	Prescription trends for dopamine agonists in UK primary care - The influence of safety alerts concerning valvular heart disease	(19): S1-S347	2010
Sturmer T	Pharmacoepidemiology and Drug Safety	Prescription Patterns among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK)	(19): S1-S347	2010
Sturmer T	Pharmacoepidemiology and Drug Safety	Stimulant Prescription and Risk of Injury among Children with Attention Deficit Hyperactivity Disorder (ADHD) in the United Kingdom (UK): Preliminary Results	(19): S1-S347	2010
Swallow D	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Swallow D	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Swedo SE	Neurology	Streptococcal infection, Tourette syndrome, and OCD: is there a connection?	74(17):1397-8	2010
Symonds T	Int J Clin Pract	Prevalence and detection rate of underlying disease in men with erectile dysfunction receiving phosphodiesterase type 5 inhibitors in the United Kingdom: a retrospective database study	65(7):797-806	2011
Szatkowski L	Addiction	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England	107(7):1341-8	2012
Szatkowski L	Addiction	The impact of media campaigns on smoking cessation activity: A structural vector autoregression analysis	doi: 10.1111/j.1360-0443.2012.03958.x	2012

Szatkowski L	BMC Public Health	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: Cross-sectional analyses from The Health Improvement Network (THIN) database	12;329.	2012
Szatkowski L	BMC Public Health	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records	10;11:291	2011
Szatkowski L	J Epidemiol Community Health	Can data from primary care medical records be used to monitor national smoking prevalence?	66(9):791-5.	2011
Szatkowski L	Addiction	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England	106(10):1827-34. doi: 10.1111/j.1360-0443.2011.03494.x	2011
Szatkowski L	Family Practice	Is smoking status routinely recorded when patients register with a new GP?	27(6):673-5	2010
Szatkowski L	Pharmacoepidemiology and Drug Safety	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications.	19(6):586-90.	2010
Szatkowski L	The Society for Academic Primary Care (SAPC)	Can national smoking prevalence be monitored using data from primary care medical records?		2009
Szatkowski LC	BMC Public Health	Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data	7;11:773	2011
Tacconelli S	Journal of the American College of Cardiology	Role of dose potency in the prediction of risk of myocardial infarction associated with nonsteroidal anti-inflammatory drugs in the general population	52(20):1628-36	2008
Taggar JS	BMC Public Health	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: Cross-sectional analyses from The Health Improvement Network (THIN) database	12;329.	2012
Tai KS	Spinal Cord	Pain-related pharmacotherapy, healthcare resource use and costs in spinal cord injury patients prescribed pregabalin	[Ahead of print]	2012
Tai KS	Pain Pract	Therapy Switching, Augmentation, and Discontinuation in Patients with Osteoarthritis and Chronic Low Back Pain	12(6):457-68	2012
Tannen R	Pharmacoepidemiology and Drug Safety	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone.	[ahead of print]	2012
Tata L	Society for Academic Primary Care (SAPC)	Identification pre-school children at risk of poisoning injury using routinely recorded primary care data	SAPC Bristol 6-8 July 2011	2011
Tata LJ	PLoS One	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data.	2012;7(4):e35193.	2012
Tata LJ	Chest.	The association between smoking quantity and lung cancer in men and women	10.1378/chest.12-1068.	2012
Tata LJ	BMC Public Health	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data	10;11:857	2011
Tata LJ	BMC Public Health	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study	31;10:799.	2010

Tata LJ	Am J Epidemiol	The Use of Self-Controlled Analytical Techniques to Assess the Temporal Association Between use of Prescription Medications and the Risk of Motor Vehicle Crashes	169:761-8	2009
Tata LJ	Thorax	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study	63(11):981-7	2008
Tata LJ	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
Tata LJ	Pharmacoepidemiology and Drug Safety	A general population based study of the impact of prescription-only medicines on the risk of road traffic accidents	16:S1-S274 (59)	2007
Tata LJ	Pharmacoepidemiology and Drug Safety	Congenital malformation in children born to women with asthma	16:S1-S274 (271)	2007
Tata LJ	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
Tata LJ	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Tata LJ	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
Tata LJ	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
Tattersfield A	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
Taylor RR	Pediatr Allergy Immunol	Cost-effectiveness of using an extensively hydrolysed formula compared to an amino acid formula as first-line treatment for cow milk allergy in the UK	23(3):240-9. doi: 10.1111/j.1399-3038.2011.01262.x	2012
Taylor RR	J Wound Care.	Relative cost-effectiveness of a skin protectant in managing venous leg ulcers in the UK	21(8):389-98.	2012
Taylor RR	Alimentary Pharmacology & Therapeutics	The cost-effectiveness of macrogol 3350 compared to lactulose in the treatment of adults suffering from chronic constipation in the UK.	31(2):302-12	2010
Tenhave TR	Pharmacoepidemiology and Drug Safety	Temporal and within practice variability in the health improvement network	20(9):948-55. doi: 10.1002/pds.2191	2011
TenHave TR	Pharmacoepidemiology and Drug Safety	Between and within practice variability among practices within the health improvement network	(19): S1-S347	2010
Tennis P	Pharmacoepidemiology and Drug Safety	Risk factors for thiazolidinedione related peripheral edema	17: S118-S119	2008
Tennis P	Diabetic Medicine	Delayed initiation of subcutaneous insulin therapy after failure of oral glucose-lowering agents in patients with Type 2 diabetes: a population-based analysis in the UK	24(12):1412-8	2007
Tennis P	RTI Health Solutions - Report	Risk Factors for Peripheral Edema in Patients Treated With Rosiglitazone and Pioglitazone: a Retrospective Analysis Using the Health Improvement Network (THIN) Database		2007

Tennis P	Annual meeting of the American Diabetes Association (Washington) 2006	Population-Based Study of Time to Insulin After Failure of Oral Antidiabetic (OA) Therapy in Type 2 Diabetes (T2DM) in the UK		2006
Tennis P	Pharmacoepidemiology and Drug Safety	Time to insulin after failure of oral antidiabetic therapy in type 2 diabetes: A UK population-based analysis	15: (S1):S51	2006
Testani J	Pharmacoepidemiology and Drug Safety	Maternal Use of Proton Pump Inhibitors (PPI) during Pregnancy Is Associated with an Increased Risk for Cardiac Birth Defects: Analysis of 208,951 Pregnancies from the THIN Database	(19): S1-S347	2010
Tetlow AP	International Journal of Clinical Practice	A comparison of intermediate and long-acting insulins in people with type 2 diabetes starting insulin: an observational database study.	64(12):1609-18	2010
Tetlow AP	Cardiovascular Diabetology	Improved glycaemic control by switching from insulin NPH to insulin glargine: a retrospective observational study	19;8:3	2009
Tetlow AP	Cardiovascular Diabetology	Switching from premixed insulin to glargine-based insulin regimen improves glycaemic control in patients with type 1 or type 2 diabetes: a retrospective primary-care-based analysis	16;8:9.	2009
Tetlow T	Current Medical Research & Opinion	The outcome of care in people with type 1 and type 2 diabetes following switching to treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	23 (1): 33-9	2007
Tetlow T	Current Medical Research & Opinion	The prescription cost of managing people with type 1 and type 2 diabetes following initiation of treatment with either insulin glargine or insulin detemir in routine general practice in the UK: a retrospective database analysis	(8) 41-48	2007
Thomas S	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075–79	2006
Thompson G	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Thompson M	Infectious Disease Research Network	A comparison between prescribing in THIN data and dispensing in England	Poster presentation	2012
Thompson M	Infectious Disease Research Network	Discontinuation of antiepileptic drugs in pregnancy; a study in The Health Improvement Network (THIN) primary care database	Poster presentation	2012
Thompson M	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Thompson M	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Thompson M	Inform Prim Care	Generalisability of The Health Improvement Network (THIN) database: demographics, chronic disease prevalence and mortality rates.	19(4):251-5.	2011
Thompson M	Society for Academic Primary Care (SAPC)	Patterns of prescription of antiepileptic drugs in pregnancy, a study in THIN	SAPC Bristol 6-8 July 2011	2011

Thompson M	Value in Health	Impact of the UK public smoking ban on the prescribing of smoking cessation therapy in primary care – a THIN database study	13(3):A203	2010
Thompson M	Pharmacoepidemiology and Drug Safety	Prescribing Behaviour of Smoking Cessation Products in the UK – A THIN Database Study	(19): S1-S347	2010
Thompson M	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Thompson M	Value in Health	How does The Health Improvement Network (THIN) data on prevalences on chronic diseases compare with national figures?	12(7):A253	2009
Thompson M	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting for research using automated data from primary care	18: 76–83	2009
Thompson M	Pharmacoepidemiology and Drug Safety	The importance of defining periods of complete mortality reporting in automated patient databases	17: S250	2008
Thompson M	Pharmacoepidemiology and Drug Safety	Determinants of cholesterol and triglyceride recording in patients treated with lipid lowering therapy in UK primary care	16:S1-S274 (480)	2007
Thompson M	Pharmacoepidemiology and Drug Safety	Challenges in obtaining ethical approval for a pilot study to obtain biosamples in a UK medical records database	15:(S1):S137-138	2006
Thompson M	9th Annual Conference of the UK Federation of Primary Care Research Organisations. Liverpool, UK 2006	National Representativeness and Data Quality of the Health Improvement Network (THIN) Database of Primary Care Information for Epidemiological Research	Podium presentation	2006
Thompson PL	Infectious Disease Research Network	The use of GP questionnaires to assess psoriasis severity in The Health Improvement Network (THIN) database	Poster presentation	2012
Thompson R	Primary Care Cardiovascular Journal	Measurement of baseline total cholesterol: new data from The Health Improvement Network (THIN) database	v1, (2) 107-111	2008
Thompson S	Poster presented at the RCGP Annual National Primary Care Conference, Glasgow, Scotland, November 2009	Cost of Managing Neuropathic Pain with Pregabalin and Gabapentin: A UK Study		2009
Toh S	Pharmacoepidemiology and Drug Safety	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records	20(8):849-57. doi: 10.1002/pds.2152	2011
Toh S	Cancer Causes Control Aug 2007	Use of antidepressants and risk of lung cancer	18(10):1055-64	2007
Trifirò G	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Trifirò G	Pharmacoepidemiology and Drug Safety	Heterogeneity in Drug Utilization in Three European Countries: A Study of Dopamine Agonists	(19): S1-S347	2010
Trifirò G	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010

Trifirò G	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Trooskin S	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Trotter C	Society for Academic Primary Care (SAPC)	The impact of pneumococcal conjugate vaccination on primary care consultations in the UK	SAPC Bristol 6-8 July 2011	2011
Troxel AB	Journal of viral hepatitis	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study	19(4):271-7.	2012
Troxel AB	British Journal of Dermatology	Validity of The Health Improvement Network (THIN) for the study of psoriasis	164(3):602-9	2011
Trudgill N	Digestive Disease Week conference in San Diego	How commonly is gastric cancer missed at endoscopy (a UK primary care based study) ?	Presentation	2012
Trudgill NJ	Gastroenterology	Risk factors for the development of oesophageal cancer in Barrett's oesophagus: a primary care cohort study	132(4) Suppl 2: A420	2007
Turner B	Pharmacoepidemiology and Drug Safety	Does an increase in serum creatinine after starting ACE inhibitors influence their discontinuation	17: S277	2008
Vallance P	Lancet	Risk of deep vein thrombosis and pulmonary embolism after acute infection in a community setting	367: 1075-79	2006
van Camp G	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Van Ganse E	Pharmacoepidemiology and Drug Safety	Comparison of Prescribing Patterns for Asthma in Five European Countries	(19): S1-S347	2010
van Soest EM	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Van Staa TP	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Van Staa TP	Value in Health	The cost-effectiveness of bisphosphonates in postmenopausal women based on individual long-term fracture risks	10(5):348-57	2007
Van Staa TP	QJM: An International Journal of Medicine	A simple clinical score for estimating the long-term risk of fracture in postmenopausal women	99(10):673-682	2006
Van Staa TP	QJM: An International Journal of Medicine	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids	98:191-198	2005
Van Staa TP	Bone	An individualised model of cost-effectiveness of bisphosphonates in elderly women	36 (S2):S138	2005
Van Staa TP	Bone	Persistence to bisphosphonate treatment in actual clinical practice	36 (S2):S412	2005
Van Staa TP	Journal of Bone and Mineral Research	The estimation of the 5-year probability of fracture in a general population of elderly women	19 (S1);S292	2004

Vannacci A	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Vannacci A	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Vannacci A	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010
Vats V	The Journal of Sexual Medicine	Increased Sexual Dysfunction in Men with Storage and Voiding Lower Urinary Tract Symptoms	6:1103-1110	2009
Vats V	23rd Annual European Association of Urology Congress. Milan, Italy	Increased Sexual Dysfunction in Women With LUTS, Including OAB, in a UK General Practice Setting: Analyses From the THIN Database	March 26-29, 2008	2008
Vaughn DJ	J Natl Cancer Inst	Association Between Longer Therapy With Thiazolidinediones and Risk of Bladder Cancer: A Cohort Study	19;104(18):1411-21.	2012
Verhamme K	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Verma A	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDS) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861-872	2006
Verma A	Pharmacoepidemiology and Drug Safety	Patterns of discontinuation, Dose modification and switching among users of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) including Cyclo-Oxygenase 2 Inhibitors (COX-2) in the UK population	14: S1: (003)	2005
Verma M	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Verma M	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Vidaurre CF	Journal of Allergy and Clinical Immunology	Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review.	125(5):1098-1104	2010
Villeneuve PJ	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Vinogradova Y	Heart	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study	(94): 34-39	2008
Vowden K	J Wound Care.	Relative cost-effectiveness of a skin protectant in managing venous leg ulcers in the UK	21(8):389-98.	2012
Vowden P	J Wound Care.	Relative cost-effectiveness of a skin protectant in managing venous leg ulcers in the UK	21(8):389-98.	2012
Wait S	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011

Wall H	Prim Care Respir J	BMI and obstructive sleep apnoea in the UK: a crosssectional study of the over-50s	10.4104/pcrj.2012.00053	2012
Wallander MA	Alimentary Pharmacology & Therapeutics	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease.	31(10):1132-40	2010
Wallander MA	Scandinavian Journal of Gastroenterology	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis.	45(7-8):814-21.	2010
Wallander MA	Scandinavian Journal of Gastroenterology	Gastroesophageal reflux disease in children and adolescents in primary care	45(2):139-46	2010
Wallander MA	Prim Care Companion J Clin Psychiatry	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns.	12(1):PCC.08m00764.	2010
Wallander MA	Epidemiology	Acid-suppressive drugs and community-acquired pneumonia.	20(6):800-6.	2009
Wallander MA	Journal of Epidemiology & Community Health	Trends in the prevalence and incidence of diabetes in the UK: 1996-2005	63(4):332-6	2009
Wall-Burns L	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Walters K	Pharmacoepidemiology and Drug Safety	Identifying periods of acceptable computer usage in primary care research databases	[ahead of print]	2012
Walters K	PLoS One	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care	7(8):e41670	2012
Walters K	Eur J Prev Cardiol	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom	ahead of print	2012
Walters K	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Walters K	PLoS One	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009	2011;6(12):e28725	2011
Walters K	Journal of the American Medical Association (JAMA)	Serum Bilirubin and Risk of Respiratory Disease and Death	Vol 305, No. 7 (691-697	2011
Walters K	Pharmacoepidemiology and Drug Safety	Association between Bilirubin and Oxidative Stress Mediated Disease	(19): S1-S347	2010
Walters K	Pharmacoepidemiology and Drug Safety	Descriptive analysis of antipsychotic prescriptions in primary care	(19): S1-S347	2010
Walters K	British Medical Journal (BMJ)	Explaining variation in referral from primary to secondary care: cohort study	BMJ 2010; 341:c6267	2010
Walters K	Pharmacoepidemiology and Drug Safety	Missing data in primary care databases; problems and a possible solution	(19): S1-S347	2010
Walters K	British Medical Journal (BMJ)	Survival of people with clinical diagnosis of dementia in primary care: cohort study	341:c3584. doi: 10.1136/bmj.c3584.	2010
Walters K	The British Journal of Psychiatry	Recent trends in the incidence of recorded depression in primary care	195, 520–524. doi: 10.1192	2009
Walters K	Abstract, The Society For Academic Primary Care,	Survival following diagnosis of dementia in primary care	37th Annual Scientific Meeting July 2008, Galway, Ireland	2008

Walters K	PLOS ONE	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database.	7(8):e43841	2012
Walters K	Pharmacoepidemiology and Drug Safety	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom	doi: 10.1002/pds.2213	2011
Wang X	Pharmacoepidemiology and Drug Safety	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone.	[ahead of print]	2012
Wang X	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) database for pharmacoepidemiology research	2007 Apr 16(4):393-401	2007
Wang X	Pharmacoepidemiology and Drug Safety	Validation studies of The Health Improvement Network (THIN) Database for pharmacoepidemiology research	15: (S1):S233-234	2006
Ward K	Journal of Epidemiology & Community Health	Is adult height related to the risk of having Chronic Obstructive Pulmonary Disease (COPD)?	65(3):226-9	2009
Warren G	Arch Intern Med	Association Between Thiazolidinedione Treatment and Risk of Macular Edema Among Patients With Type 2 DiabetesThiazolidinedione and Macular Edema in Type 2 DM	11:1-7. doi: 10.1001/archinternmed.2012.1938.	2012
Watson DJ	Pharmacoepidemiology and Drug Safety	An algorithm to identify medical practices common to both the General Practice Research Database and The Health Improvement Network database	21(7):770-774.	2012
Watson DJ	Pharmacoepidemiology and Drug Safety	An algorithm to identify practices common to both the GPRD and THIN Databases.	(19): S1-S347	2010
Watts NB	Osteoporosis International	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK	(4):569-77	2010
Wedzicha JA	Chest	Increased risk of Myocardial Infarction and Stroke following Exacerbation of Chronic Obstructive Pulmonary Disease	137(5):1091-7	2009
Weiner MG	Pharmacoepidemiology and Drug Safety	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone.	[ahead of print]	2012
Weinstein R	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Weinstein R	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Weir M R	Value in Health	Prescribing Trends and Drug Budget Impact of the ARBs in the UK	(12): 302-308	2009
Weir M R	Value in Health	Antihypertensive drug budget impact of the Angiotensin II Receptor Blockers (ARB) in the UK	Vol 9 (6): A343	2006
Weir M R	Value in Health	Trends in Angiotensin II Receptor Blocker (ARB) prescribing among general practitioners in the UK	Vol 9 (6): A204	2006
Wenstowrth C	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Wenstowrth C	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010

Wentworth C	BMJ Open	A new user cohort study comparing the safety of long-acting inhaled bronchodilators in COPD	22;2(3). pii: e000841.	2012
Wentworth C	Pharmacoepidemiology and Drug Safety	An Algorithm for the Diagnosis of Suicide in the THIN Database	(19): S1-S347	2010
Wentworth C	Pharmacoepidemiology and Drug Safety	Lessons Learned from Mapping the THIN Database to the Observational Medical Outcome Partnership (OMOP) Common Data Model (CDM)	(19): S1-S347	2010
Wentworth C	Pharmacoepidemiology and Drug Safety	Occurrence of Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	17: S109	2008
Wentworth C	Pharmacoepidemiology and Drug Safety	Validation of cases of Lymphoma in THIN	17: S87-S88	2008
Wentworth C	Drug Safety	Comparative Safety of Long-Acting Inhaled Bronchodilators	30 (12): 1151-1160	2007
Wentworth C	Pharmacoepidemiology and Drug Safety	Comparative safety of long-acting bronchodilators	15: (S1):S75	2006
Wentworth CE	British Journal of Dermatology	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K	163(5):1036-43	2010
Wentworth CE	The New England Journal of Medicine	Suicide-related events in patients treated with antiepileptic drugs	363: 542-551	2010
Wentworth CE	Journal of Allergy and Clinical Immunology	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom	123(5):1111-6	2009
Wentworth CE	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861-872	2006
Wentworth CE	Pharmacoepidemiology and Drug Safety	Patterns of discontinuation, Dose modification and switching among users of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) including Cyclo-Oxygenase 2 Inhibitors (COX-2) in the UK population	14: S1: (003)	2005
Wentworth CE	Pharmacoepidemiology and Drug Safety	Use of prescription Cyclo-Oxygenase 2 inhibitors (COX-2) and Non COX-2 Non-Steroidal Anti-Inflammatory Drugs (NSAID) in a UK population	14: S141: (283)	2005
Wentworth CE	Pharmacoepidemiology and Drug Safety	Use of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) Including Cyclo-Oxygenase 2 Inhibitors (COX-2) in a UK Population and a US Population	14: S190: (382)	2005
Wentworth CW	Pharmacoepidemiology and Drug Safety	Lymphoma among patients with atopic dermatitis treated with topical corticosteroids (TCS) and/or topical calcineurin inhibitors (TCIs)	(19): S1-S347	2010
Wernersson B	Scand J Gastroenterol.	Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response	47(7):751-61.	2012
West J	PLoS One	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data.	2012;7(4):e35193.	2012
West J	Society for Academic Primary Care (SAPC)	Identification pre-school children at risk of poisoning injury using routinely recorded primary care data	SAPC Bristol 6-8 July 2011	2011
West J	BMC Public Health	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study	31;10:799.	2010

West J	Journal of Investigative Dermatology	The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Case-Control Study.	[ahead of print]	2010
West J	British Journal of Dermatology	A population-based study of acute medical conditions associated with bullous pemphigoid.	161(5):1149-52	2009
West J	British Medical Journal (BMJ)	Bullous pemphigoid and pemphigus vulgaris -incidence and mortality in the UK: population based cohort study	9;337:a180	2008
West J	American Journal of Respiratory and Critical Care Medicine	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma	175(10):991-7	2007
West J	QJM: An International Journal of Medicine	Extrinsic Allergic Alveolitis: Incidence and mortality in the general population	Apr 100(4):233-7	2007
West J	American Journal of Epidemiology	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study	2007 May 1;165(9):1023-30	2007
West J	Respiratory Medicine	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK	101(12):2534-40	2007
West J	Thorax	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK	61:980-985	2006
West J	Thorax	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study	61(5): 405-8	2006
West J	Thorax	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network	60(10): 848-50	2005
West J	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
West J	Pharmacoepidemiology and Drug Safety	The Risk of Fits, Diagnosis of Epilepsy and Death after First Prescription for Bupropion: An Analysis of The Health Improvement Network (THIN) Database	(13): S22 (S1-S334)	2004
Wheeler AJ	The American Journal of Gastroenterology	The inflammatory bowel diseases and ambient air pollution: a novel association.	105(11):2412-9	2010
Whincup PH	J Epidemiol Community Health	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study.	65(9):770-4	2010
Whitaker HJ	Alimentary Pharmacology & Therapeutics	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?	22: 175-181	2005
White D	Arthritis Care Res (Hoboken)	Secular trend of adhesive capsulitis	63(11):1571-5. doi: 10.1002/acr.20590	2011
Wick-Urban B	Calcified Tissue International	Risk of upper gastrointestinal tract events in risedronate users switched to alendronate.	87(4):298-304	2010
Wijlaars L	Infectious Disease Research Network	Trends in antidepressant prescribing in children in the United Kingdom, a study in The Health Improvement Network (THIN)	Poster presentation	2012

Wijlaars L	Society for Academic Primary Care (SAPC)	Trends in the incidence of childhood depression in the UK, a study in THIN	SAPC Bristol 6-8 July 2011	2011
Wijlaars LP	PLoS One	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN).	7(3):e33181.	2012
Wilson K	Current Medical Research & Opinion	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study	Vol. 26, No. 4, 2010, 861-870	2010
Wilson K	UK National Smoking Cessation Conference (UKNSCC) June, Glasgow	Evaluation of varenicline as an aid to smoking cessation in UK general practice – a THIN database study		2010
Wilson L	Clinical Nutrition	Health economic impact of managing patients following a community-based diagnosis of malnutrition in the UK	(4):422-9	2011
Wilson S	Colorectal Disease	Iron deficiency anaemia and delayed diagnosis of colorectal cancer: a retrospective cohort study	doi: 10.1111/j.1463-1318.2010.02488.x	2010
Wilton L	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Wilton L	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Winter J	Pharmacoepidemiology and Drug Safety	Influenza and pneumococcal vaccination protect against all cause mortality in patients with chronic obstructive pulmonary diseases	17: S194	2008
Winter JH	Thorax	Influenza but not pneumococcal vaccination protects against all-cause mortality in patients with COPD	64(7):567-72	2009
Wise BL	Am J Med	Impact of Age, Sex, Obesity, and Steroid Use on Quinolone-associated Tendon Disorders	[Ahead of print]	2012
Wong IC	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Wong IC	BMC Pediatr	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care	19;12(1):78.	2012
Wong P	Pharmacoepidemiology and Drug Safety	Cancer incidence in The Health Improvement Network	18(8):730-736	2009
Wong P	Pharmacoepidemiology and Drug Safety	Recording of pancreatic, colorectal and lung cancer incidence in The Health Improvement Network (THIN)	17: S38	2008
Wong W	British Medical Journal (BMJ)	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study	;338:b2095.	2009
Wood Ives J	Pharmacoepidemiol Drug Safety	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies	10.1002/pds.3318.	2012
Woodman J	Br J Gen Pract	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention	62(600):478-86.	2012

Woodman J	16th April 2012 BASCPAN conference (Belfast)	Child maltreatment-related concerns recorded in UK primary care: a study using the THIN database	pg 94	2012
Woodman J	Society for Academic Primary Care (SAPC)	Child maltreatment recording in primary care	SAPC Bristol 6-8 July 2011	2011
Wythe S	BMC Public Health	Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data	7;11:773	2011
Xie D	Pharmacoepidemiology and Drug Safety	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone.	[ahead of print]	2012
Xu W	Pharmacoepidemiology and Drug Safety	An algorithm to identify medical practices common to both the General Practice Research Database and The Health Improvement Network database	21(7):770-774.	2012
Xu W	Pharmacoepidemiology and Drug Safety	An algorithm to identify practices common to both the GPRD and THIN Databases.	(19): S1-S347	2010
Xue F	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Xue F	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Yang Y	Pharmacoepidemiology and Drug Safety	Maternal Use of Proton Pump Inhibitors (PPI) during Pregnancy Is Associated with an Increased Risk for Cardiac Birth Defects: Analysis of 208,951 Pregnancies from the THIN Database	(19): S1-S347	2010
Yood MU	Pharmacoepidemiology and Drug Safety	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations Implications for COX-2 cardiovascular profile	15: 861–872	2006
Yood MU	Pharmacoepidemiology and Drug Safety	Use of prescription Cyclo-Oxygenase 2 inhibitors (COX-2) and Non COX-2 Non-Steroidal Anti-Inflammatory Drugs (NSAID) in a UK population	14: S141: (283)	2005
Yood MU	Pharmacoepidemiology and Drug Safety	Use of prescription Non-Steroidal Anti-Inflammatory Drugs (NSAID) Including Cyclo-Oxygenase 2 Inhibitors (COX-2) in a UK Population and a US Population	14: S190: (382)	2005
Yu M	Pharmacoepidemiology and Drug Safety	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone.	[ahead of print]	2012
Yuan Z	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Yuan Z	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Zambon A	Br J Clin Pharmacol	Use Of Antidepressant Serotonergic Medications And Cardiac Valvulopathy: A Nested Case-Control Study In The Health Improvement Network (Thin) Database	74(3):536-544	2012
Zambon A	Br J Clin Pharmacol	Use of antidepressants serotonergic medications and cardiac valvulopathy: A nested case-control study in The Health Improvement Network (THIN) database	doi: 10.1111/j.1365-2125.2012.04224.x	2012
Zambon A	Pharmacoepidemiology and Drug Safety	Use of serotonergic medications and cardiac valvulopathy: A nested case-control study in the Health Improvement Network (THIN) Database.	(19): S1-S347	2010

Zanettini R	Drug Safety	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study	35(2):159-71. doi: 10.2165/11594940-000000000-00000	2012
Zanettini R	Pharmacoepidemiology and Drug Safety	Risk of Cardiac Valve Regurgitation with Dopamine Agonist Use in Parkinson's Disease and Hyperprolactinemia	(19): S1-S347	2010
Zanettini R	Pharmacoepidemiology and Drug Safety	Risk of heart failure with dopamine agonist use in Parkinson's disease	(19): S1-S347	2010
Zaoutis TE	Pediatrics	Antibiotic Exposure and IBD Development Among Children: A Population-Based Cohort Study	130(4):e794-803	2012
Zhang	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Zhang F	BMJ	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study	25;342:d108	2011
Zhang H	Cancer Epidemiology	Antibiotic use and the risk of lung cancer	17(6):1308-15	2008
Zhang J	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Zhang J	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Zhang Y	British Medical Journal	Calcium Channel Blockers, Losartan, and the Risk of Incident Gout among Patients with Hypertension: A Population-Based Case-Control Study	344:d8190. doi: 10.1136/bmj.d8190	2012
Zhang Y	Osteoporos Int	Diuretic initiation and the acute risk of hip fracture	[Ahead of print]	2012
Zhang Y	Am J Med	Impact of Age, Sex, Obesity, and Steroid Use on Quinolone-associated Tendon Disorders	[Ahead of print]	2012
Zhang Y	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012
Zhang Y	Rheumatology (Oxford)	Risk factors for pseudogout in the general population	51(11):2070-4	2012
Zhang Y	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Zhang Y	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Zhang Y	Arthritis Care Res (Hoboken)	Secular trend of adhesive capsulitis	63(11):1571-5. doi: 10.1002/acr.20590	2011
Zhao S	Pharmacoepidemiology and Drug Safety	Incidence rates of edema in solid tumor cancer patients in the THIN Database	(19): S1-S347	2010
Zhao S	Pharmacoepidemiology and Drug Safety	Incidence Rates of Retinal Artery Thrombosis in Solid Tumor Cancer Patients in the THIN Database	(19): S1-S347	2010
Zhou X	Pharmacoepidemiology and Drug Safety	Lessons Learned from Mapping the THIN Database to the Observational Medical Outcome Partnership (OMOP) Common Data Model (CDM)	(19): S1-S347	2010
Zhu Y	Osteoporos Int	Diuretic initiation and the acute risk of hip fracture	[Ahead of print]	2012
Zhu Y	Ann Rheum Dis	Obesity and the risk of psoriatic arthritis: a population-based study	71(8):1273-7.	2012

Zhu Y	Rheumatology (Oxford)	Risk factors for pseudogout in the general population	51(11):2070-4	2012
Zhu Y	Ann Rheum Dis	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Zhu Y	Arthritis Rheum	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study	[ahead of print]	2012
Zhu Y	Ann Rheum Dis	The Risk of Pulmonary Embolism and Deep Vein Thrombosis in Rheumatoid Arthritis: A UK Population-Based Outpatient Cohort Study	[ahead of print]	2012
Zhu Y	Arthritis Care Res (Hoboken)	Secular trend of adhesive capsulitis	63(11):1571-5. doi: 10.1002/acr.20590	2011
Zolynas R	Pharmacoepidemiology and Drug Safety	Antithrombotic therapies in patients with heart failure: hypothesis formulation from a research database.	19(9):911-20.	2010
Zolynas R	Pharmacoepidemiology and Drug Safety	Clinical outcomes associated with anticoagulant therapies in patient with incident heart failure: A retrospective analysis of a population based database	17: S1-S294	2008
Zou KH	Int J Clin Pract	Prevalence and detection rate of underlying disease in men with erectile dysfunction receiving phosphodiesterase type 5 inhibitors in the United Kingdom: a retrospective database study	65(7):797-806	2011

